

**CLIMATE REFERENCE STATION
SASKATOON
ANNUAL SUMMARY 2022**

V. Wittrock
Saskatchewan Research Council
Environmental Performance & Climate

02-02-2022 Wed 09:18:21



Saskatchewan Research Council

**CLIMATE REFERENCE STATION
SASKATOON
ANNUAL SUMMARY 2022**

V. Wittrock
Saskatchewan Research Council
Environmental Performance & Climate



SRC Publication No. 10440-2E23
August 2023
Saskatchewan Research Council
125 - 15 Innovation Blvd.
Saskatoon, SK S7N 2X8

COVER PHOTOGRAPHS

Report cover: The Saskatoon SRC Climate Reference Station February 2022

Inside cover: 10 meter tower wind speed and direction August 2022

photo credit: V. Witrock

TABLE OF CONTENTS

Acknowledgements	ii
Climate Reference Station Supporters	ii
Climate Reference Station History	1
What is the Climate Reference Station?	2
Activities Associated with the Climate Reference Station	3
Summary	4
Temperature	
Daily temperature, graph	5
Temperature records, table	6
Extreme temperatures, table	7
Potential evapotranspiration (PE) using the Thornthwaite Method, graph and table	7
Dates and duration of the frost-free season, table	8
Frost-free season duration and end points, graphs	9
Annual and seasonal temperature ranking, tables	10
Monthly temperatures, normals, and extremes table	12
Monthly and annual temperatures, graphs	12
Seasonal temperatures, graphs	13
Days with maximum temperatures greater than a set point, graphs	14
Days with minimum temperatures less than a set point, graphs	15
Days with temperatures greater than set point, graphs	16
Degree-days, normals and cumulative, table	17
Degree-days records, table	17
Growing degree-days, graphs	18
Heating and cooling degree-days, graphs	19
Extreme cooling degree-days, graph	20
Daily temperatures, tables	21
Precipitation	
Daily precipitation, graph	23
Precipitation records and extreme events, tables	24
Ranking by driest month, table	24
Ranking, annual, by # of dry days, dry spells and wet spells, table	25
Ranking by annual, seasons (amounts and days)	26
Monthly precipitation, normals and extremes, table	27
Monthly and annual precipitation, graphs	27
Seasonal precipitation, graphs	28
Monthly precipitation days, table	29
Monthly and annual precipitation days, graphs	29
Seasonal precipitation days, graphs	30
Daily precipitation values, table	31
Snow-on-the-ground, daily, October to April, graphs	31
Snow-on-the-ground, last day of month, graphs	32
Radiation	
Sunrise/Sunset tables for Saskatoon, 2022 & 2023	33
Monthly bright sunshine hours, normals and days, table	34
Daily global and diffuse radiation days, table	34
Annual, seasonal, monthly bright sunshine hours, graphs	35
Monthly bright sunshine, global and diffuse radiation comparison, graph	35
Annual, seasonal, monthly bright sunshine days, graphs	36
Bright sunshine records, table	36
Bright sunshine ranking by % of actual to possible hours and by # of days, tables	37
Wind	
Monthly Average and highest instantaneous wind speed, table	38
Wind roses: annual maximum and average wind speed and direction	38
Daily average wind and daily wind gust, tables	39
Daily wind speed, ½ hourly average and maximum gust, graphs	40
Extreme daily winds, table	41
Windchill calculation, table	41
Extreme daily windchill value, table	41
Soil Temperatures	
Monthly average soil temperatures at 0900h and 1600h, table	42
Monthly average soil temperatures at 0900h and 1600h, graphs	42
Glossary of Terms	43
References and Bibliography	46

ACKNOWLEDGEMENTS

The 2022 data were compiled and recorded by Virginia Wittrock (Climate Services). Weekly site maintenance was carried out by Wittrock with back-up site visits from Ken Babich (Development Engineering and Manufacturing). Wittrock was responsible for the data monitoring while most of the instrument maintenance is the responsibility of Saskatchewan Research Council's (SRC) Ryan Jansen and Graham Epp (Process Development) and Ken Babich and others (Development Engineering and Manufacturing). Grounds maintenance (lawn mowing) is was carried out by the Process Development group and others. Consultations with Terri Lang and others from Environment and Climate Change Canada, Saskatoon, SK were most helpful in verifying and comparing data. Editorial assistance was provided by Kenelm Grismer and Celeste Bodnaryk (Environmental Performance and Climate).

This report is being provided for informational purposes only. While the SRC believes this report to be accurate, it may contain errors or inaccuracies. SRC assumes no responsibility for the accuracy or comprehensiveness of this data and reliance on this data is entirely at the user's own risk.

Please be aware that the data is subject to ongoing quality assurance reviews that may result in minor changes and updates to values in our reports, including past reports. If you notice errors in our reports, please contact us so that we may correct them. Information and data contained in this report shall not be published, copied, placed in a retrieval system or distributed whole or in part without prior written consent of the SRC. All references made to this report shall be acknowledged.

Enquiries concerning the SRC Saskatoon Climate Reference Station (CRS), its data, measurement programs and publications or becoming a supporter are most welcome. For further information contact:

Virginia Wittrock
 Research Scientist
 306-933-5400; Virginia.Wittrock@src.sk.ca
 Saskatchewan Research Council toll-free number 1-877-772-7227
 Saskatchewan Research Council web site: <http://www.src.sk.ca>
 Monthly data sheets and annual summaries: <http://src.nu/crsdata>

SASKATCHEWAN RESEARCH COUNCIL
CLIMATE REFERENCE STATION SUPPORTERS, 2022-2023
WE GRATEFULLY ACKNOWLEDGE THE SUPPORT OF THE FOLLOWING:



SRC'S SASKATOON CLIMATE REFERENCE STATION HISTORY

Meteorological observations at or near Saskatoon were first taken by the Northwest Mounted Police in 1889 with the recording of temperature. There is some disagreement in the early records as to the exact location of the weather observing point, but the majority of the evidence indicates 52 15'N, 106 20'W, elevation 480m above sea level as the most probable location. This would place it at Clark's Crossing on the South Saskatchewan River, approximately 16 km northeast of the centre of the City of Saskatoon. At that time, there was a settlement at Clark's Crossing as well as 10 to 15 families on either side of the river where Saskatoon is now located.

Little is known about the very early observers; however, the records do show that Major T.H. Keenan took observations from March 1892 until March 1895, and Mr. George Will was the observer from January 1897 until April 1897. It is thought that T.H. Copeland was involved in the observational program from 1895 to 1 May 1901, at which time it was taken over by Mr. Eby, Sr. Mr. Eby Sr. recorded the observations until his death in 1921, at which time his daughter (E.S. Eby) continued to record the observations. Her brother (J.M. Eby) recorded the observations beginning in April 1931 until the station closed on 31 October 1942. The Eby station recorded temperature, precipitation and weather notes on fog, thunderstorms, winds and any unusual weather phenomena. Reports were made twice daily (morning and evening).

In 1916, a climate reference station was established by the University of Saskatchewan and continuous observations were kept twice daily until 15 January 1965. The longtime observer was Mr. Sidney Cox. The SRC took over the program in the fall of 1963 and moved it to a new location 52 09'N, 106 36'W and elevation 497 m above sea level¹. The first observer was Terry Beck followed three years later by Orville Olm². In 1967, Joe Calvert became the primary observer until his retirement in 1983. Ray Begrand succeeded Mr. Calvert until 1988 when Virginia Wittrock became the primary observer. Carol Beaulieu became primary observer in 1992 until her retirement summer of 2014. Virginia Wittrock is project manager (1992 to present) and primary observer. Assistance with the site maintenance from 2014 to present was provided by K. Babich, Graham Epp and R. Jansen.

In the summer of 1992, Saskatoon CRS began to be converted to an automated system of data collection with the installation of a Campbell Scientific data logger and automatic sensors. The updating, replacing, re-installing and adding of new sensors began in 2009 and was completed in 2012. Elements presently recorded at the Saskatoon CRS are temperature (maximum and minimum), precipitation, relative humidity, snow depth, wind (speed and direction), solar radiation (bright sunshine, global and diffuse), barometric pressure, grass level temperature, soil temperature (seven levels), and soil moisture (three levels). Soil moisture instruments became operational June 2019 with the 10 cm soil moisture sensor replaced Oct 2022.

¹Christiansen 1970; Environment Canada 1975; ²Olm 2001

Mr. James Eby was one of the original members of the Temperance Colony Society. He filed his homestead in 1882 and returned with his family in 1883. He was the first president of the school board and served as the township supervisor for Nutana. While riding a horse in 1890, he was struck by lightning and was a partial invalid thereafter. In 1901, he and his daughter moved to Nutana where he served as a Federal Meteorologist for the next 20 years until his death in 1921 at the age of 77. He was buried, next to his wife, in the Nutana pioneer cemetery.¹

¹Ladd, 2008



photo: C. Beaulieu

WHAT IS THE CLIMATE REFERENCE STATION?

The Saskatchewan Research Council's Climate Reference Station (SRC CRS) at Saskatoon is classified as a principal climatological station with supplementary climatological observations¹. A climate reference station's data are intended for the purpose of determining climatic trends. This requires long periods (not less than thirty years) of homogeneous records, where man-made environmental changes have been or are expected to remain at a minimum. Ideally the records should be of sufficient length to enable the identification of secular changes of climate². At CRS Saskatoon, half-hourly readings are taken of elements (temperature, precipitation amount, humidity, wind and atmospheric pressure). Supplemental observations include rainfall intensity, soil temperature, bright sunshine, solar radiation (diffuse and global), snow depth, relative humidity, barometric pressure, soil moisture and grass level temperature. High quality and consistent climatological observations are maintained providing data sets to meet the current concerns of the effects of climatic change and increased variability.

Purpose and Benefits

The purpose of the SRC CRS is to provide a record of observed meteorological elements in order that the climate of the area and its changes can be accurately documented and described. Climatological data have assumed new importance as a result of social and environmental issues in which climate is a dominant factor. Climatological information assists in realizing new technological opportunities and social changes. It is necessary and valuable for areas such as agriculture, forestry, land use and facility placement, water and energy resources, as well as health and comfort.

The CRS allows us to:

- Evaluate long-term climatic trends – early warning system for increased frequencies of extreme events such as floods, droughts, etc.;
- Determine the impacts of climate events on society, economy, health and ecosystems – e.g., intense rainfall causing flooding and property damage, heat stress with its health implications;
- Do value-added research;
- Be part of regional, national and global networks in important agricultural and ecological areas;
- Facilitate development of additional programs – e.g., air quality, biodiversity and climate change monitoring;
- Have roles in various programs within SRC including spray drift work, Boreal Ecosystem Atmospheric Study (BOREAS), and collaborative research with the Western College of Veterinary Medicine and the College of Agriculture, University of Saskatchewan; and
- Provide climate data to various industries, government organizations, non-government organizations, media outlets, institutions of learning, and interested individuals.

Goals

The goals of the CRS are first to maintain the high quality of data gathered over its fifty plus years of existence at its current location and, second to continue to monitor a large variety of elements. These various elements combined with the long-term collection period as well as the stable location allow SRC CRS at Saskatoon to be an extremely valuable climate information collection station.

¹Environment Canada 1992 ²World Meteorological Organization 1988

ACTIVITIES ASSOCIATED WITH THE SASKATOON CLIMATE REFERENCE STATION, 2022

The Saskatoon Climate Reference Station (CRS) had another busy year of activities. We continued to share important climate information from the CRS through monthly e-mails, media interviews, presentations and various social media. Monthly and annual climate information from both SRC's Saskatoon and Conservation Learning Centre CRSs is available online (<http://src.nu/crsdata>). Over the last 59 years, SRC provided hands-on experience with our weather instruments to hundred of students (young and older), and gave presentations highlighting Saskatoon's climate: past, present and future. While many of these tours can no longer be offered, we have a virtual tour of our Saskatoon CRS available. The virtual tour can be found at: <http://src.nu/1OLBg5H>. The activities at CRS Saskatoon returned to normal in 2022 as we slowly emerged from the pandemic restrictions / supply chain issues / IT issues.

The maintenance included our normal seasonal checks and maintenance for the sensors in May and October. We also replaced the bearings in the RM Young Wind Speed/Direction Sensor in May 2022. The 10 cm soil moisture sensor was replaced in October 2022. The birds seemed to enjoy the new diffuse platform and ring, so we had to install some bird deflectors.

The tours we offered were similar to previous years. Students from SaskPolytech (Moose Jaw campus) toured the site in June and a tour for a representative from the Saskatchewan Ministry of Environment occurred in August 2022.




Saskatoon CRS SRC tours
June and August 2022
Photos: V. Wittrock




Installing replacement 10 cm soil moisture sensor October 2022
Photos: V. Wittrock



Automatic Diffuse Radiation Ring with spikes added to platform and ring to stop birds from perching on the instrument
August 2022
Photos: V. Wittrock



Seasonal site maintenance
04 May 2022
Photos: V. Wittrock




SUMMARY FOR 2022

Data, including temperature, precipitation, wind speed and direction, bright sunshine, solar radiation, soil temperature, snow depth and soil moisture levels were recorded at the Saskatchewan Research Council's (SRC) Climate Reference Station (CRS) (52 09'N, 106 36'W, 497m asl) in Saskatoon, SK during 2022. It is compared in this report with the long-term (circa 1900-2021) and standard-period/normal (1991-2020) record.

Synopsis for 2022:

- 27 days with temperatures at or greater than 30C in Saskatoon.
 - Hottest day was 36.6C (July 16).
- 15 days with temperatures at or below -30C in Saskatoon.
 - Coldest day was -36.7 (Jan 06).
- Frost-free season was five days longer than normal. The 2022 frost-free season was from May 21 to October 06.
- The overall temperature for the year was close to average but winter (2021-2022) and spring were colder than normal while summer and fall were warmer than normal.
 - Summer 2022 was the third warmest summer in the last 59 years.
- 2022 was another dry year in Saskatoon.
 - It was the eighth driest year in the last 59 years.
 - Winter and spring were relatively close to normal levels, but summer and fall were quite dry.
 - Summer 16th driest.
 - Fall 8th driest.
- The 2021-2022 continuous snowpack lasted from 03 December 2021 to 21 March 2022.
- We definitely had a white Christmas in 2022 with four snow events in the second half of December. When the snow was combined with the strong sustained winds, road conditions were interesting during that time.
- The summer and fall high temperatures as well as the lack of precipitation resulted in high potential evapotranspiration rates.
- The lack of precipitation was also reflected in the above normal bright sunshine hours (2565.8 hours compared to the normal 2350.4 hours).
 - 2022 is ranked eighth for having the most number of days with bright sunshine.
- Peak wind for the year was in July with gust of 77.3 km/hr. It was associated with a thunderstorm event.
- 2022 did not measure any temperatures at or below -40C but when wind speed was included to calculate windchill, Saskatoon CRS had 22 days of “high risk” to “very high risk” windchill levels.

DAILY TEMPERATURE



TEMPERATURE

2022 TEMPERATURE RECORDS								
TYPE	DATE		NEW RECORD °C	OLD RECORD °C	YEAR			
	Month	Day						
Daily	Maximum	Highest	February	10	6.2	4.0	1987	
			June	18	33.4	31.5	1988	
			July	16	36.6	33.9	2017	
				29	35.5	34.5	1984	
			August	21	34.9	34.4	1969	
			September	3	35.8	34.1	2009	
				4	35.9	35.6	1978	
				7	34.6	34.3	2011	
				11	33.2	31.5	1981	
				Lowest	April	12	-5.7	-5.0
					15	-0.3	-0.3	2001
			November		10	-15.5	-15.0	1986
			December		2	-23.0	-23.0	1991
			Minimum	Highest	February	8	-3.1	-3.5
	June	18			18.9	16.5	1988	
		19			16.8	16.5	1987	
	July	9			17.9	17.8	1997	
		15			18.4	18.4	2002	
		16			18.1	18.0	2021	
		17			17.3	17.1	2007	
	August	17			18.0	17.9	2003	
		27			16.2	16.1	1997	
	September	4			17.5	16.3	2009	
		30			11.4	11.1	1967	
	November	25			-0.1	-2.3	2011	
	Lowest	December			7	-33.7	-32.2	1972
	Mean	Highest	February	8	0.9	0.3	1976	
June			18	26.2	24.0	1988		
			8	24.5	23.4	2011		
July			16	27.4	24.1	2017		
			21	25.0	24.7	1969		
September			4	26.7	25.6	1978		
		7	23.7	23.6	2003			
Lowest		January	6	-33.0	-32.3	1973		
		November	10	-19.6	-19.5	1986		
		December	2	-26.1	-25.6	1970		

2022 TEMPERATURE RECORDS							
TYPE	DATE		NEW RECORD °C	OLD RECORD °C	YEAR	DAY	
	Month	Day					
Monthly	Highest Extreme Minimum Monthly Temperature	September	15	2.3	2.0	2017	20
	Highest Extreme Mean Monthly Temperature	September	4	26.7	25.6	1978	4
	Highest Extreme Maximum Monthly Temperature	September	4	35.9	35.6	1978	4
	Highest Average Mean Monthly Temperature	October		8.1	7.9	2015	


TEMPERATURE

2022 EXTREME TEMPERATURES			
COLD (less than or equal to -30°C)		HOT (greater than or equal to 30°C)	
DATE	TEMPERATURE °C	DATE	TEMPERATURE °C
1-Jan	-34.5	18-Jun	33.4
5-Jan	-34.1	8-Jul	32.1
6-Jan	-36.7	12-Jul	30.6
7-Jan	-33.8	13-Jul	33.7
19-Jan	-30.8	15-Jul	31.8
2-Feb	-31.7	16-Jul	36.6
3-Feb	-30.9	29-Jul	35.5
4-Feb	-31.6	4-Aug	30.3
6-Dec	-32.4	8-Aug	32.9
7-Dec	-33.7	12-Aug	32.3
20-Dec	-32.0	13-Aug	33.4
21-Dec	-31.3	16-Aug	34.3
22-Dec	-31.2	19-Aug	30.0
23-Dec	-34.7	20-Aug	33.1
		21-Aug	34.9
		27-Aug	30.3
		30-Aug	32.6
		31-Aug	35.0
		1-Sep	31.0
		3-Sep	35.8
		4-Sep	35.9
		5-Sep	30.2
		7-Sep	34.6
		11-Sep	33.2

Coloured cells indicate extremes for the year

POTENTIAL EVAPOTRANSPIRATION (PE) using the Thornthwaite Method¹

MONTH	PE (mm) 2022	PE (mm) 2010 Wettest Year	PE (mm) 2001 Driest Year	PE (mm) 1987 Hottest Year	PE (mm) 1981-2010 Normal
Jan	0	0	0	0	0
Feb	0	0	0	0	0
Mar	0	0.9	0	0	0
Apr	12.7	46.5	28.5	55.5	30.9
May	80.5	77.0	86.8	101.4	80.5
June	115.2	118.8	109.3	135.0	114.2
July	140.1	130.2	140.6	132.5	132.1
Aug	133.7	114.6	132.4	99.2	116.3
Sept	85.9	66.1	78.1	82.1	67.9
Oct	36.9	40.1	14.8	27.3	23.4
Nov	0	0	0	0	0
Dec	0	0	0	0	0
Total	605.0	594.3	590.4	632.9	565.4





¹Thornthwaite and Mather 1955
Thornthwaite 1948



Temperature and Relative Humidity Sensors (automated)
 May 23 2022
 (Photo: V. Wittrock)

DATES & DURATION OF THE FROST-FREE SEASON			
YEAR	LAST SPRING FROST	FIRST FALL FROST	Frost-free Season Length
1964	May 31	Sept 26	117
1965	May 27	Sept 05	100
1966	May 19	Sept 13	116
1967	Jun 06	Sept 23	108
1968	May 19	Sept 25	128
1969	Jun 14	Sept 15	92
1970	May 19	Sept 12	115
1971	May 18	Sept 20	124
1972	May 08	Sept 04	118
1973	May 06	Sept 14	130
1974	May 25	Sept 02	99
1975	May 21	Sept 11	112
1976	May 06	Aug 28	113
1977	May 01	Aug 31	121
1978	May 30	Sept 30	122
1979	May 30	Aug 13	74
1980	May 14	Aug 26	103
1981	May 24	Sept 03	101
1982	May 29	Aug 27	89
1983	May 24	Sept 13	111
1984	May 24	Aug 31	98
1985	Jun 04	Sept 06	93
1986	May 17	Sept 06	111
1987	May 21	Oct 06	137
1988	May 02	Sept 19	139
1989	May 28	Sept 10	104
1990	May 13	Sept 21	130
1991	May 27	Sept 18	113
1992	May 23	Sept 14	113
1993	May 17	Sept 14	119
1994	May 09	Oct 04	147
1995	May 22	Sept 18	118
1996	May 12	Sept 29	139
1997	May 14	Oct 05	143
1998	May 13	Sept 30	139
1999	May 09	Sept 27	140
2000	May 17	Sept 23	128
2001	May 10	Oct 04	146
2002	May 23	Sept 23	122
2003	May 18	Sept 29	133
2004	May 20	Sept 30	132
2005	May 14	Sept 28	136
2006	May 04	Sept 19	137
2007	May 10	Sept 14	126
2008	May 26	Sept 26	122
2009	June 05	Oct 07	123
2010	May 07	Sept 17	132
2011	May 10	Sept 14	126
2012	April 26	Oct 04	160
2013	May 11	Oct 04	144
2014	May 14	Oct 03	141
2015	May 29	Sept 27	120
2016	May 13	Oct 05	144
2017	May 18	Oct 04	138
2018	May 10	Sept 21	133
2019	May 17	Oct 02	135
2020	May 15	Sept 07	112
2021	May 22	Oct 08	138
2022	May 21	Oct 06	137
1991-2020 Normal	May 16	Sept 28	132
1981-2010 Normal	May 18	Sept 20	124



Clouds
July 2022
(Photo: V. Wittrock)

TEMPERATURE RANKINGS

AVERAGE ANNUAL TEMPERATURES °C					
MAXIMUM TEMP		MINIMUM TEMP		MEAN TEMP	
1987	11.6	2016	0.1	1987	5.4
2001	10.8	2015	-0.7	2016	5.3
1981	10.5	1987	-0.8	2015	4.8
2021	10.5	2006	-1.3	2001	4.6
2016	10.4	2012	-1.3	1981	4.5
2015	10.2	1999	-1.4	2021	4.5
1988	10.1	2017	-1.4	1998	4.3
1998	10.1	2010	-1.5	1999	4.2
1999	9.8	1981	-1.5	2006	4.2
2017	9.7	1998	-1.5	2017	4.2
2006	9.6	2005	-1.6	2012	4.0
2011	9.6	2021	-1.6	1988	3.9
1976	9.5	2001	-1.6	2011	3.8
1997	9.5	2011	-2.1	2005	3.8
2003	9.3	2007	-2.2	2010	3.7
2012	9.3	2020	-2.2	1997	3.5
2005	9.1	1988	-2.3	2003	3.4
1986	9.0	1997	-2.4	2020	3.4
2020	9.0	2003	-2.5	1991	3.2
1991	8.9	1993	-2.5	1986	3.2
2010	8.9	1991	-2.5	2007	3.2
2000	8.8	1992	-2.5	2022	3.1
2022	8.8	1986	-2.6	1976	3.0
1984	8.7	2022	-2.7	1992	3.0
1990	8.7	2018	-2.7	2000	3.0
1977	8.6	2004	-2.8	1984	2.9
1980	8.6	2002	-2.9	1993	2.8
2007	8.6	2014	-2.9	2004	2.8
1992	8.5	1984	-2.9	2018	2.8
2008	8.5	2000	-2.9	2002	2.8
2002	8.5	1964	-2.9	1964	2.7
1994	8.5	1994	-3.2	1994	2.7
2004	8.4	2019	-3.2	2008	2.6
1989	8.3	1983	-3.2	1990	2.6
2018	8.3	2008	-3.3	1977	2.5
1964	8.2	2013	-3.3	2019	2.4
1993	8.1	1995	-3.4	1980	2.4
2019	8.1	1968	-3.4	2014	2.4
1995	7.9	1976	-3.5	1989	2.3
1973	7.8	1990	-3.6	1995	2.3
1968	7.7	1977	-3.6	1983	2.2
2009	7.7	1989	-3.8	2013	2.2
2013	7.7	1980	-3.8	1968	2.2
1983	7.7	2009	-3.8	2009	2.0
2014	7.6	1973	-4.0	1973	1.9
1978	7.4	1970	-4.0	1970	1.7
1970	7.3	1978	-4.6	1978	1.4
1974	7.1	1969	-4.6	1971	1.2
1971	7.1	1971	-4.6	1974	1.2
1967	7.0	1974	-4.7	1967	1.1
1985	6.9	1967	-4.7	1969	1.1
1975	6.9	1985	-4.8	1985	1.1
1969	6.8	1972	-4.8	1975	0.9
1979	6.5	1975	-5.1	1972	0.6
1966	6.4	1996	-5.2	1979	0.6
1965	6.3	1965	-5.3	1965	0.5
1982	6.2	1982	-5.3	1966	0.4
1996	6.1	1979	-5.3	1996	0.4
1972	6.1	1966	-5.5	1982	0.4

SEASONAL MAXIMUM AVERAGE TEMPERATURES °C							
WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2012	-1.9	1977	12.9	2021	27.2	1987	13.1
1987	-3.6	1987	12.7	2001	26.5	2011	12.6
2006	-4.7	1988	12.6	2003	26.3	2021	12.6
2016	-4.8	2016	12.5	1984	26.1	2009	12.1
1998	-4.8	1981	12.1	1988	26.0	1994	11.8
2000	-5.4	2021	12.0	2022	26.0	2001	11.8
1992	-5.7	1998	12.0	1970	25.9	2008	11.8
2002	-6.0	2001	11.9	2006	25.6	2022	11.5
2017	-6.6	2015	11.7	1998	25.6	1999	11.4
1964	-6.6	1994	11.5	1997	25.6	2015	11.3
2020	-6.7	2010	11.4	2017	25.4	1981	11.1
1983	-7.1	1993	11.4	2018	25.4	1997	11.0
1988	-7.2	1980	11.3	1981	25.3	2005	11.0
2021	-7.2	1986	11.1	1989	25.3	1976	10.8
2004	-7.2	2000	11.0	2002	25.3	1980	10.8
1986	-7.3	2012	10.9	2015	25.1	2016	10.8
1976	-7.3	1992	10.8	1983	25.0	1974	10.6
1981	-7.4	2019	10.6	1996	24.9	1979	10.6
1977	-7.4	1991	10.5	1991	24.8	2004	10.5
2015	-7.4	1976	10.4	2020	24.8	1998	10.4
2007	-7.7	2017	10.2	1964	24.6	1967	10.4
2003	-8.0	1984	10.2	2008	24.5	2000	10.3
2005	-8.0	1999	10.1	2016	24.5	1988	10.3
1975	-8.0	2007	10.1	2007	24.5	2013	10.1
1999	-8.0	2006	10.1	1979	24.5	1975	9.9
1984	-8.1	1968	10.0	1995	24.4	1989	9.8
1995	-8.1	2004	10.0	2011	24.4	2007	9.8
1990	-8.2	1985	10.0	2012	24.4	1990	9.7
2018	-8.3	1990	10.0	1967	24.3	1968	9.7
1991	-8.6	2005	9.9	1978	24.2	2010	9.6
1989	-8.7	1973	9.9	1965	24.2	2003	9.4
2013	-9.2	1978	9.7	1969	24.1	1970	9.3
2001	-9.3	2003	9.4	1990	24.1	2014	9.2
1970	-9.3	2008	9.1	1987	24.0	1983	9.2
2011	-9.5	1972	9.1	1972	24.0	2017	9.1
1980	-9.5	2018	8.8	1976	23.8	2020	8.9
2010	-9.8	1971	8.6	1973	23.8	1992	8.8
2019	-9.8	2022	8.5	2000	23.8	1971	8.8
1968	-9.8	1969	8.3	2019	23.8	1964	8.8
2008	-10.1	1995	8.3	2013	23.7	1978	8.7
2022	-10.1	1989	8.2	1971	23.6	1977	8.7
1973	-10.3	1964	8.2	1986	23.6	1966	8.6
1997	-11.0	1966	8.1	1994	23.5	1995	8.6
1967	-11.1	2020	8.0	1980	23.5	2019	8.5
1993	-11.5	1997	7.6	1975	23.2	1993	8.4
1985	-11.6	2011	7.5	1999	23.1	1982	8.3
2009	-11.7	2009	7.4	2014	23.1	2012	8.2
2014	-11.8	1983	7.0	2010	23.0	1969	8.0
1994	-12.1	2014	6.8	1977	23.0	2002	7.8
1996	-12.2	1982	6.7	2009	22.9	2006	7.5
1974	-12.6	2013	6.4	1966	22.8	1986	7.3
1966	-13.1	1996	6.3	1982	22.6	1965	7.3
1982	-13.3	1970	6.1	2005	22.6	1973	7.3
1971	-13.4	2002	5.8	1985	22.4	1991	7.0
1978	-14.5	1965	5.7	1974	22.4	1972	6.6
1965	-14.8	1979	4.8	1992	22.4	2018	6.5
1972	-14.9	1974	4.7	1968	22.0	1996	6.2
1969	-15.2	1975	4.4	2004	21.6	1984	5.6
1979	-15.5	1967	4.4	1993	21.1	1985	4.5

TEMPERATURE RANKINGS

SEASONAL MINIMUM AVERAGE TEMPERATURES °C								SEASONAL MEAN AVERAGE TEMPERATURES °C							
WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)		WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2012	-12.6	2016	0.8	2021	13.6	2016	1.5	2012	-7.3	2016	6.6	2021	20.4	2009	6.7
2016	-12.6	1993	0.3	2012	12.9	2015	1.3	1987	-8.6	1987	6.2	2003	19.4	2011	6.5
2006	-13.2	2010	0.2	2022	12.7	2009	1.3	2016	-8.7	1977	6.2	2022	19.4	2021	6.5
1998	-13.4	2012	0.0	2015	12.6	2005	0.4	2006	-8.9	1993	5.8	1988	19.2	1987	6.4
1987	-13.6	1987	-0.2	2006	12.5	2021	0.4	1998	-9.1	2010	5.8	2001	19.1	2015	6.3
2017	-14.7	1977	-0.5	2003	12.5	2011	0.3	1992	-10.3	1988	5.8	1970	19.1	2016	6.2
1992	-14.9	1999	-0.5	2016	12.4	2008	0.1	2000	-10.6	1981	5.6	2006	19.1	2008	5.9
1964	-15.0	1985	-0.7	1988	12.3	1998	0.1	2017	-10.7	2015	5.4	2015	18.9	2001	5.8
2002	-15.5	1994	-0.8	2020	12.3	1981	0.0	2002	-10.8	2012	5.4	2002	18.8	2005	5.7
1983	-15.6	2015	-0.8	1970	12.3	2001	-0.1	1964	-10.8	1994	5.4	2018	18.8	1994	5.7
2000	-15.8	1981	-1.0	2002	12.2	1967	-0.2	1983	-11.4	2001	5.4	1984	18.7	2022	5.6
2015	-16.0	1992	-1.0	1991	12.2	1968	-0.2	2020	-11.6	2021	5.2	2012	18.7	1981	5.5
2020	-16.3	2006	-1.0	2018	12.0	1997	-0.3	2015	-11.7	1986	5.0	2017	18.7	1999	5.4
2021	-16.6	1988	-1.0	2013	12.0	1987	-0.3	2021	-12.0	1998	5.0	1998	18.6	1997	5.4
2004	-16.7	1986	-1.1	2014	11.9	2022	-0.4	2004	-12.0	1992	4.9	2020	18.6	1998	5.3
1999	-16.8	2000	-1.1	2017	11.9	2004	-0.4	1981	-12.3	2000	4.9	1997	18.5	1967	5.1
2007	-17.0	2001	-1.2	2011	11.8	1994	-0.5	1986	-12.3	1999	4.8	1991	18.5	2004	5.0
1981	-17.1	2007	-1.3	2001	11.7	1999	-0.6	2007	-12.4	1985	4.7	1989	18.5	1980	5.0
1995	-17.2	2005	-1.4	2007	11.7	1992	-0.7	1999	-12.4	2006	4.5	2016	18.4	1968	4.8
1986	-17.3	1990	-1.5	1989	11.6	2010	-0.7	1988	-12.5	2007	4.4	1983	18.1	1979	4.6
2003	-17.5	2021	-1.6	1998	11.6	1980	-0.9	1976	-12.6	1980	4.4	1981	18.1	1988	4.4
2018	-17.5	2017	-1.6	2010	11.5	2019	-1.0	1995	-12.7	1991	4.3	2011	18.1	2010	4.4
1988	-17.8	1973	-1.7	1997	11.5	2014	-1.0	2003	-12.7	2005	4.3	2007	18.1	2007	4.4
1976	-17.8	1978	-1.7	2008	11.3	1983	-1.0	2005	-12.9	1990	4.3	1996	18.1	2000	4.3
1984	-17.8	1991	-2.0	1984	11.2	1970	-1.1	1984	-13.0	2017	4.2	2008	17.9	2013	4.3
2005	-17.8	1968	-2.0	1996	11.2	2007	-1.1	2018	-13.0	1973	4.1	2013	17.9	1970	4.2
2011	-18.3	1998	-2.0	2019	11.2	1964	-1.4	1977	-13.1	1978	4.0	1964	17.8	1974	4.1
2013	-18.4	1984	-2.2	1983	11.2	1988	-1.4	1975	-13.3	1968	4.0	1995	17.7	2014	4.1
1975	-18.5	2003	-2.3	1964	11.0	1979	-1.4	1990	-13.7	1984	4.0	2014	17.6	1983	4.1
1970	-18.7	1972	-2.4	2005	11.0	2013	-1.5	2013	-13.8	2019	4.0	2019	17.5	1992	4.1
1977	-18.8	2004	-2.5	1972	11.0	2017	-1.7	1989	-13.8	2004	3.8	1972	17.5	1989	4.0
1989	-18.9	1980	-2.6	2000	11.0	2000	-1.7	2011	-14.0	2003	3.6	2000	17.4	1975	3.8
2001	-19.0	2022	-2.6	1981	10.9	2020	-1.8	1991	-14.0	1976	3.5	1990	17.4	2017	3.7
2010	-19.1	2019	-2.6	1995	10.8	1989	-1.8	1970	-14.0	1972	3.4	1965	17.4	2019	3.7
1990	-19.1	2008	-3.2	1990	10.7	1969	-1.9	2001	-14.2	2022	3.0	1987	17.3	1964	3.7
1991	-19.3	2018	-3.3	1999	10.7	2012	-1.9	2010	-14.5	2008	2.9	1979	17.3	1976	3.6
2008	-19.5	1976	-3.3	1987	10.6	1971	-2.1	1980	-14.6	2018	2.7	1976	17.2	2003	3.6
2019	-19.5	1983	-3.7	1994	10.6	2002	-2.2	2019	-14.7	1971	2.3	2010	17.2	2020	3.6
1980	-19.6	1969	-3.8	1965	10.5	2003	-2.2	2008	-14.8	1969	2.2	1994	17.1	1971	3.4
2022	-19.9	1995	-3.8	1976	10.5	1977	-2.4	1968	-15.0	1995	2.2	1978	17.0	1977	3.2
1968	-20.0	1966	-3.9	1971	10.3	1974	-2.4	2022	-15.0	1964	2.2	1971	17.0	1990	3.2
1973	-20.3	1964	-3.9	2009	10.3	1975	-2.5	1973	-15.4	1966	2.1	1973	17.0	2012	3.1
1993	-20.5	2011	-3.9	1973	10.0	1993	-2.5	1993	-16.0	2020	2.0	1999	16.9	1969	3.1
1994	-20.8	2020	-4.0	1979	10.0	1995	-2.6	1967	-16.1	1989	2.0	1967	16.9	1995	3.0
1967	-21.1	1971	-4.0	1966	9.9	2018	-2.6	1997	-16.2	2011	1.9	2005	16.8	1978	2.9
1997	-21.3	2014	-4.2	1993	9.9	1972	-2.7	1994	-16.5	1997	1.7	1969	16.7	1993	2.9
2009	-21.4	1997	-4.3	1975	9.8	2006	-2.8	2009	-16.6	1983	1.6	1986	16.6	2002	2.8
1996	-21.9	1982	-4.3	2004	9.7	1978	-2.9	2014	-16.9	2014	1.3	2009	16.6	2006	2.4
2014	-22.0	1989	-4.3	1978	9.7	1986	-3.1	1996	-17.1	1982	1.2	1980	16.6	1982	2.3
1974	-22.6	1996	-4.9	1980	9.6	1990	-3.4	1985	-17.3	2009	0.9	1975	16.5	1966	2.2
1985	-22.9	2013	-4.9	1982	9.6	1976	-3.6	1974	-17.6	1996	0.7	1966	16.4	1986	2.1
1971	-23.1	1970	-5.0	1986	9.6	1982	-3.7	1971	-18.3	2013	0.7	1982	16.2	2018	1.9
1982	-23.6	2009	-5.6	1974	9.6	1991	-3.7	1966	-18.4	1970	0.5	1974	16.0	1972	1.9
1966	-23.6	1965	-5.8	1967	9.5	1984	-3.8	1982	-18.5	1965	-0.1	1977	15.9	1991	1.6
1969	-24.0	1979	-6.1	1969	9.4	1966	-4.3	1965	-19.4	1979	-0.7	2004	15.7	1965	1.5
1965	-24.0	1974	-6.5	1968	9.2	1996	-4.3	1978	-19.5	1974	-0.9	1992	15.6	1973	1.3
1978	-24.5	1975	-6.5	1992	8.8	1965	-4.4	1969	-19.6	2002	-0.9	1968	15.6	1984	0.9
1972	-25.0	1967	-6.9	1977	8.8	1973	-4.6	1972	-20.0	1975	-1.0	1993	15.5	1996	0.9
1979	-25.2	2002	-7.6	1985	8.2	1985	-6.0	1979	-20.4	1967	-1.3	1985	15.3	1985	-0.8

TEMPERATURE


MONTH	AVERAGE MAXIMUM TEMPERATURE (°C)		AVERAGE MINIMUM TEMPERATURE (°C)		AVERAGE TEMPERATURE (°C)		EXTREME VALUES TEMPERATURE (°C)				EXTREME VALUES FOR SASKATOON STATIONS	
	2022	Normal	2022	Normal	2022	Normal	Max	Date	Min	Date	Max/Date	Min/Date
January	-9.4	-9.5	-20.1	-19.0	-14.8	-14.3	2.7	23	-36.7	6	11.0/1980/23 _{SWT}	-48.9/1893/31 _{SM}
February	-9.4	-7.3	-19.9	-17.1	-14.7	-12.2	6.2	10	-31.7	2	12.8/1931/19 _{SE}	-50.0/1893/01 _{SM}
March	-0.8	-0.1	-10.2	-10.0	-5.5	-5.1	9.8	23	-27.4	11	22.8/1910/23 _{SE}	-43.3/1897/14 _{SM}
April	7.6	10.4	-3.1	-1.7	2.3	4.4	18.2	28	-9.9	13	33.3/1952/28 _{SA US}	-30.5/1979/01 _{SWT}
May	18.8	18.5	5.4	4.7	12.1	11.6	27.8	5	-0.9	21	37.2/1936/27 _{SE}	-12.8/1907/06 _{SE}
June	23.0	22.3	10.5	10.2	16.8	16.3	33.4	18	4.0	1	41.5/1988/06 _{S2}	-3.9/1917/02 _{US}
July	26.6	25.3	13.7	12.6	20.2	19.0	36.6	16	7.9	1	40.0/1919,1941,1946,2021 _{SE SA US}	-0.6/1918/25 _{SE}
August	28.3	25.0	13.8	11.5	21.1	18.3	35.0	31	8.3	6	39.7/1998/06 _{SRC}	-2.8/1901/23SM&1976/28 _{SRC}
September	23.6	19.4	8.6	6.3	16.1	12.9	35.9	4	2.3	15	35.6/1978/04 _{SRC}	-11.1/1908/28 _{SE}
October	14.6	10.0	1.6	-0.7	8.1	4.7	25.8	4	-4.3	6	32.2/1943/05 _{SA US}	-25.6/1919/26 _{SE US}
November	-3.6	-0.4	-11.4	-8.8	-7.5	-4.6	6.7	1	-23.6	10	21.7/1903/03 _{SE}	-39.4/1893/30 _{SM}
December	-13.7	-7.5	-21.1	-16.2	-17.4	-11.9	-2.8	4	-34.7	23	14.4/1939/05 _{SE}	-43.9/1892/22 _{SM}
Average	8.8	8.8	-2.7	-2.7	3.1	3.0						

Normal = 1991-2020


SE = Saskatoon Eby 1901-1942
 US = University of Saskatchewan 1915-1964
 SWT = Saskatoon Water Treatment Plant 1974 -
 SRC = Saskatchewan Research Council 1963-

SA = Saskatoon Diefenbaker Int'l Airport 1942-
 S2 = Saskatoon 2 1977-1990
 SM = Saskatoon stations circa 1889 -1901 (RNWMP et al)

Monthly




Annual




SEASONAL TEMPERATURES (period of record)


Winter (DJF)




Spring (MAM)



Summer (JJA)




Autumn (SON)




DAYS WITH TEMPERATURES GREATER THAN A SET POINT


30°C or Greater




32°C or Greater



35°C or Greater




40°C or Greater




DAYS WITH TEMPERATURES LESS THAN A SET POINT


Minus 30°C or Less




Minus 32.5°C or Less



Minus 35°C or Less




Minus 40°C or Less




DAYS WITH TEMPERATURES GREATER THAN A SET POINT


Maximum Temperature greater than 0°C (Thaw Days) Jan 1st to Dec 31st




Maximum Temperature greater than 0°C (Thaw Days) Oct 1st to Mar 31st (Cold Season)



Minimum Temperature greater than 0°C (Frost-free Days)



Minimum Temperature 15°C or greater




DEGREE-DAYS (Normal 1991-2020)

MONTH	GROWING DEGREE-DAYS Base 5°C			HEATING DEGREE-DAYS Base 18°C			COOLING DEGREE-DAYS Base 18°C			EXTREME COOLING DEGREE-DAYS Base 24°C		
	2022	Cumulative	Normal	2022	Cumulative	Normal	2022	Cumulative	Normal	2022	Cumulative	Normal
January	0.0	0.0	0.0	1017.4	1017.4	1000.6	0.0	0.0	0.0	0.0	0.0	0.0
February	0.0	0.0	0.0	914.9	1932.3	853.6	0.0	0.0	0.0	0.0	0.0	0.0
March	0.0	0.0	3.5	728.1	2660.4	716.3	0.0	0.0	0.0	0.0	0.0	0.0
April	31.2	31.2	60.6	472.1	3132.5	414.2	0.0	0.0	0.2	0.0	0.0	0.0
May	220.8	252.0	211.0	183.5	3316.0	204.0	1.3	1.3	6.1	0.0	0.0	0.0
June	352.5	604.5	339.1	53.5	3369.5	74.2	16.0	17.3	22.9	2.2	2.2	0.6
July	471.0	1075.5	433.2	15.6	3385.1	25.9	83.6	100.9	56.1	7.8	10.0	2.4
August	499.3	1574.8	413.0	7.6	3392.7	41.6	103.9	204.8	51.6	4.5	14.5	3.1
September	332.8	1907.6	238.0	91.8	3484.5	163.6	34.6	239.4	9.6	3.5	18.0	0.1
October	116.4	2024.0	61.7	306.1	3790.6	413.6	0.0	239.4	0.2	0.0	18.0	0.0
November	0.0	2024.0	3.9	764.9	4555.5	678.7	0.0	239.4	0.0	0.0	18.0	0.0
December	0.0	2024.0	0.0	1098.6	5654.1	925.7	0.0	239.4	0.0	0.0	18.0	0.0


2022 DEGREE-DAYS RECORDS						
TYPE	DATE		NEW RECORD	OLD RECORD	YEAR	
	Month	Day				
Growing Degree-Days	Highest Daily	June	18	21.2	19	1988
		July	8	19.5	18.4	2011
			16	22.4	19.1	2017
		August	21	20	19.7	1969
		September	4	21.7	20.6	1978
7	18.7		18.6	2003		
Heating Degree-Days	Highest Daily	January	6	51	50.3	1973
		April	12	25.7	25.4	2020
		November	10	37.6	37.5	1985
		December	2	44.1	43.6	1970
	Lowest Daily	February	8	17.1	17.7	1976
Lowest Total Monthly	October		306.1	315.4	2015	
Cooling Degree-Days (>18°C)	Highest Daily	June	18	8.2	6.0	1988
		July	8	6.5	5.4	2011
			16	9.4	6.1	2017
		August	21	7.0	6.7	1969
		September	4	8.7	7.6	1978
	7		5.7	5.6	2003	
Highest Total Monthly	July	----	146.4	125.6	2007	
Extreme Cooling Degree Days (>24°C)	Highest Daily	June	18	2.2	New Record	
		July	8	0.5	New Record	
			16	3.4	0.1	2017
		August	21	1	0.7	1969
		September	4	2.7	1.6	1978
	Highest Total Monthly	September		3.5	1.6	1978

DEGREE-DAYS


Growing Degree-days Monthly



Growing Degree-days Annual




Growing Degree-days May 1 to September 30




DEGREE-DAYS


Heating Degree-days Monthly




Heating Degree-days Annual



Cooling Degree-days Monthly




Cooling Degree-days Annual



DEGREE-DAYS

**Extreme Cooling
Degree-days
Annual**



SRC CRS Saskatoon
26 May 2022
Photo: V. Wittrock

TEMPERATURE GRID °C

2022	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	-24.7	-19.2	-4.7	2.2	13.1	19.1	21.7	26.6	31.0	21.6	6.7	-15.9
2	-10.6	-21.0	-8.6	3.4	18.9	21.5	19.5	21.7	26.3	22.8	1.3	-23.0
3	-18.4	-18.8	-10.6	11.0	20.3	23.4	23.1	25.0	35.8	22.0	-2.6	-12.4
4	-20.5	-16.1	-8.5	15.1	23.9	24.5	22.4	30.3	35.9	25.8	1.6	-2.8
5	-26.6	-15.4	-8.9	8.1	27.8	20.3	16.9	18.3	30.2	11.1	0.8	-13.5
6	-29.2	0.2	-3.0	5.9	23.3	21.4	21.6	23.7	24.6	10.4	-4.9	-22.2
7	-19.6	4.4	2.3	11.0	14.2	23.8	23.9	29.8	34.6	19.8	-8.1	-13.0
8	-22.0	4.8	-8.3	17.7	15.0	25.9	32.1	32.9	18.2	23.5	-6.1	-7.4
9	-21.3	2.1	-14.4	15.0	17.5	23.6	28.2	25.6	15.7	22.4	-10.6	-3.4
10	-12.6	6.2	-13.6	2.8	14.1	25.0	26.3	23.6	23.8	24.8	-15.5	-7.2
11	0.6	-13.8	-13.3	-4.5	19.3	23.1	27.3	26.6	33.2	16.5	-11.8	-4.3
12	1.9	-9.5	4.0	-5.7	22.9	23.7	30.6	32.3	22.3	10.8	-11.3	-7.1
13	-3.9	2.0	-3.9	-4.2	14.9	23.2	33.7	33.4	17.8	13.3	-6.7	-11.1
14	-4.4	-10.8	-4.0	-0.8	16.7	17.2	27.3	29.0	15.3	13.5	-6.4	-8.3
15	2.5	-7.3	2.7	-0.3	20.0	16.4	31.8	29.3	19.7	9.0	-4.0	-10.0
16	0.5	-15.7	4.6	3.1	17.9	22.6	36.6	34.3	20.0	7.5	-2.7	-15.3
17	-4.3	-13.0	6.8	4.7	17.0	27.7	29.7	27.8	20.7	16.8	-9.9	-13.8
18	-12.8	-12.2	6.3	10.2	15.3	33.4	28.9	29.9	22.8	20.9	-5.6	-20.8
19	-23.5	4.2	5.8	6.1	11.5	22.2	29.4	30.0	16.1	21.1	-4.4	-23.6
20	-2.6	-16.4	3.1	2.7	7.2	20.4	26.0	33.1	13.4	14.9	1.9	-23.4
21	0.4	-19.8	5.3	6.2	15.6	22.5	28.7	34.9	17.6	12.0	0.9	-25.9
22	-13.1	-19.7	6.6	3.5	17.7	28.2	25.1	22.5	20.8	11.5	2.0	-22.9
23	2.7	-17.1	9.8	11.9	23.0	25.2	21.6	27.7	21.2	4.4	1.5	-23.8
24	-13.3	-14.9	4.2	10.2	24.8	18.7	28.7	27.2	21.5	2.8	2.6	-15.7
25	-1.2	-7.1	-0.6	10.1	24.7	22.3	21.7	29.8	21.4	4.9	6.0	-13.9
26	2.2	-2.3	-5.4	13.2	24.1	25.4	24.6	27.5	22.9	8.5	2.5	-7.1
27	-5.1	-7.6	5.3	15.3	23.0	21.7	25.1	30.3	25.0	11.9	1.0	-7.5
28	-6.5	-8.8	4.4	18.2	24.2	21.8	29.5	20.7	29.9	9.4	-4.5	-12.4
29	-2.9		0.9	17.4	21.0	23.1	35.5	27.4	28.5	13.1	-8.6	-10.9
30	-1.0		7.6	18.1	15.6	22.6	21.6	32.6	21.6	15.0	-13.1	-9.8
31	-3.4		4.7		19.5		26.2	35.0		9.7		-15.5

**Maximum Temperature °C
Daily**



11-29-2022 Tue 09:19:44

SRC CRS Saskatoon
29 November 2022
Photo: V. Wittrock

TEMPERATURE GRID °C


Minimum Temperature °C
Daily

2022	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	-34.5	-26.1	-11.8	-4.1	0.6	4.0	7.9	15.3	14.1	10.0	-1.2	-23.6
2	-24.7	-31.7	-20.0	-5.9	1.5	7.8	10.4	12.9	8.8	6.7	-2.8	-29.2
3	-20.6	-30.9	-24.5	-2.3	4.4	5.7	9.6	9.0	13.7	7.9	-7.6	-24.5
4	-26.7	-31.6	-11.4	1.5	-0.1	5.4	10.8	14.9	17.5	6.5	-9.0	-13.6
5	-34.1	-20.1	-15.6	1.5	10.8	9.6	12.9	11.3	14.0	2.3	-5.0	-23.6
6	-36.7	-17.3	-16.2	-3.1	12.3	8.0	12.5	8.3	11.2	-4.3	-15.3	-32.4
7	-33.8	-5.6	-13.1	-1.2	7.3	9.4	11.9	14.8	12.7	-0.4	-19.6	-33.7
8	-28.5	-3.1	-15.8	0.2	3.8	10.7	16.8	14.2	9.4	4.4	-19.4	-15.5
9	-29.4	-6.2	-23.2	2.2	2.1	13.3	17.9	11.4	6.2	4.9	-22.7	-10.4
10	-21.6	-15.8	-23.7	-4.5	5.3	11.2	14.7	12.3	4.3	5.5	-23.6	-17.3
11	-14.1	-19.4	-27.4	-9.1	1.9	10.3	12.7	15.9	9.3	5.0	-20.5	-8.1
12	-7.3	-14.9	-14.9	-9.6	6.0	9.2	13.4	12.8	7.4	3.7	-20.9	-12.6
13	-10.1	-16.2	-13.1	-9.9	3.9	9.8	17.4	14.5	9.0	1.2	-12.5	-13.2
14	-9.9	-17.7	-12.2	-7.5	3.7	8.6	15.3	17.0	5.6	-1.8	-8.0	-14.8
15	-5.6	-15.8	-8.0	-8.1	3.0	6.5	18.4	14.2	2.3	-3.2	-8.2	-17.2
16	-5.5	-26.4	-5.8	-7.2	6.0	10.3	18.1	16.5	11.3	-2.5	-9.9	-19.8
17	-13.0	-27.2	-5.2	-7.6	7.8	11.6	17.3	18.0	9.5	-0.8	-13.9	-21.2
18	-27.4	-20.2	-0.7	-7.0	7.8	18.9	15.0	13.8	8.9	0.4	-13.8	-27.0
19	-30.8	-17.8	-4.6	-2.0	2.4	16.8	17.5	12.8	7.3	3.6	-10.9	-28.2
20	-28.7	-24.1	-2.9	-3.3	2.8	15.0	14.0	16.8	6.0	6.2	-11.9	-32.0
21	-19.0	-27.0	0.7	-6.6	-0.9	13.7	14.3	15.1	2.4	2.2	-11.8	-31.3
22	-17.3	-29.4	-2.3	-0.7	3.7	12.8	14.3	16.5	2.9	-2.7	-6.3	-31.2
23	-13.4	-29.3	-0.5	0.7	4.1	13.0	11.8	13.1	7.6	-0.1	-5.6	-34.7
24	-24.4	-26.3	-0.6	-1.3	7.3	9.6	10.4	11.5	7.9	-0.9	-6.9	-25.6
25	-28.6	-24.8	-8.8	-2.4	8.8	9.1	15.2	13.3	4.3	-0.8	-0.1	-17.2
26	-5.2	-9.7	-11.3	-2.1	8.0	10.5	12.1	14.4	9.9	-2.2	-4.9	-14.3
27	-13.4	-11.2	-9.4	1.0	7.3	11.6	8.9	16.2	6.6	0.5	-5.0	-13.0
28	-17.8	-12.1	-1.8	2.1	11.1	8.1	8.7	13.8	8.9	1.1	-8.7	-17.5
29	-11.8		-4.8	2.2	9.9	12.9	14.9	10.0	6.1	-1.5	-14.1	-15.3
30	-11.2		-6.3	2.2	8.1	10.1	15.2	12.5	11.4	0.7	-20.7	-15.9
31	-19.3		-0.8		5.2		15.1	15.2		-1.5		-21.7

Average Temperature °C
Daily

2022	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	-29.6	-22.7	-8.3	-1.0	6.9	11.6	14.8	21.0	22.6	15.8	2.8	-19.8
2	-17.7	-26.4	-14.3	-1.3	10.2	14.7	15.0	17.3	17.6	14.8	-0.8	-26.1
3	-19.5	-24.9	-17.6	4.4	12.4	14.6	16.4	17.0	24.8	15.0	-5.1	-18.5
4	-23.6	-23.9	-10.0	8.3	11.9	15.0	16.6	22.6	26.7	16.2	-3.7	-8.2
5	-30.4	-17.8	-12.3	4.8	19.3	15.0	14.9	14.8	22.1	6.7	-2.1	-18.6
6	-33.0	-8.6	-9.6	1.4	17.8	14.7	17.1	16.0	17.9	3.1	-10.1	-27.3
7	-26.7	-0.6	-5.4	4.9	10.8	16.6	17.9	22.3	23.7	9.7	-13.9	-23.4
8	-25.3	0.9	-12.1	9.0	9.4	18.3	24.5	23.6	13.8	14.0	-12.8	-11.5
9	-25.4	-2.1	-18.8	8.6	9.8	18.5	23.1	18.5	11.0	13.7	-16.7	-6.9
10	-17.1	-4.8	-18.7	-0.9	9.7	18.1	20.5	18.0	14.1	15.2	-19.6	-12.3
11	-6.8	-16.6	-20.4	-6.8	10.6	16.7	20.0	21.3	21.3	10.8	-16.2	-6.2
12	-2.7	-12.2	-5.5	-7.7	14.5	16.5	22.0	22.6	14.9	7.3	-16.1	-9.9
13	-7.0	-7.1	-8.5	-7.1	9.4	16.5	25.6	24.0	13.4	7.3	-9.6	-12.2
14	-7.2	-14.3	-8.1	-4.2	10.2	12.9	21.3	23.0	10.5	5.9	-7.2	-11.6
15	-1.6	-11.6	-2.7	-4.2	11.5	11.5	25.1	21.8	11.0	2.9	-6.1	-13.6
16	-2.5	-21.1	-0.6	-2.1	12.0	16.5	27.4	25.4	15.7	2.5	-6.3	-17.6
17	-8.7	-20.1	0.8	-1.5	12.4	19.7	23.5	22.9	15.1	8.0	-11.9	-17.5
18	-20.1	-16.2	2.8	1.6	11.6	26.2	22.0	21.9	15.9	10.7	-9.7	-23.9
19	-27.2	-6.8	0.6	2.1	7.0	19.5	23.5	21.4	11.7	12.4	-7.7	-25.9
20	-15.7	-20.3	0.1	-0.3	5.0	17.7	20.0	25.0	9.7	10.6	-5.0	-27.7
21	-9.3	-23.4	3.0	-0.2	7.4	18.1	21.5	25.0	10.0	7.1	-5.5	-28.6
22	-15.2	-24.6	2.2	1.4	10.7	20.5	19.7	19.5	11.9	4.4	-2.2	-27.1
23	-5.4	-23.2	4.7	6.3	13.6	19.1	16.7	20.4	14.4	2.2	-2.1	-29.3
24	-18.9	-20.6	1.8	4.5	16.1	14.2	19.6	19.4	14.7	1.0	-2.2	-20.7
25	-14.9	-16.0	-4.7	3.9	16.8	15.7	18.5	21.6	12.9	2.1	3.0	-15.6
26	-1.5	-6.0	-8.4	5.6	16.1	18.0	18.4	21.0	16.4	3.2	-1.2	-10.7
27	-9.3	-9.4	-2.1	8.2	15.2	16.7	17.0	23.3	15.8	6.2	-2.0	-10.3
28	-12.2	-10.5	1.3	10.2	17.7	15.0	19.1	17.3	19.4	5.3	-6.6	-15.0
29	-7.4		-2.0	9.8	15.5	18.0	25.2	18.7	17.3	5.8	-11.4	-13.1
30	-6.1		0.7	10.2	11.9	16.4	18.4	22.6	16.5	7.9	-16.9	-12.9
31	-11.4		2.0		12.4		20.7	25.1		4.1		-18.6

DAILY PRECIPITATION




PRECIPITATION

2022 PRECIPITATION RECORDS					
TYPE	DATE		NEW RECORD	OLD Record	YEAR
	Month	Day			
Greatest Daily (mm)	March	31	4.3	3.2	2020
	May	13	13.9	8.5	1991
	June	20	34.6	20.9	2019
	December	25	5.3	5.1	1989

RANKING BY DRIEST MONTH			
% OF NORMAL PRECIPITATION		PRECIPITATION AMOUNT (mm)	
SEPTEMBER	14.7	SEPTEMBER	4.9
OCTOBER	33.8	OCTOBER	6.9
APRIL	43.3	FEBRUARY	7.9
JULY	58.7	APRIL	10.1
AUGUST	72.6	JANUARY	17.2
JUNE	80.2	NOVEMBER	17.9
FEBRUARY	86.8	MARCH	21.1
MAY	103.5	DECEMBER	22.2
NOVEMBER	129.7	AUGUST	33.7
JANUARY	130.3	JULY	35.3
MARCH	188.4	MAY	38.9
DECEMBER	224.2	JUNE	59.3

2022 EXTREME PRECIPITATION EVENTS		
PERIOD	DATE (time)	AMOUNT (mm)
0.5 hour*	6/20/2022 (14:00-14:30)	16.0
	8/2/2022 (03:00-03:30)	15.5
1 hour*	6/20/2022 (14:00-15:00)	24.9
	8/2/2022 (03:00-04:00)	16.0
2 hours*	6/20/2022 (14:30-16:30)	29.0
	8/2/2022 (02:30-04:30)	16.3
6 hours*	6/20/2022 (11:30-16:30)	32.5
	8/1/2022-8/2/2022 (23:30-04:30)	16.3
12 hours*	6/20/2022 (08:30-19:30)	32.8
	8/2/2022 (02:30-14:30)	16.5
24 hours*	6/19/2022-06/20/2022 (19:30-19:30)	33.0
	8/1/2022 8/2/2022 (18:00-18:00)	17.8
Greatest amount over more than one day	June 19-20 2022	34.9
	May 13-14 2022	15.6
Longest wet spells	5 days (Nov 1 to 5 2022)	7.6
	5 days (Nov 27 to Dec 01 2022)	5.0
	5 days (April 10 to 14 2022)	1.0
	4 days (June 22 to 25 2022)	13.3
	4 days (July 17 to 20 2022)	10.7
Longest dry spells	4 days (Jan 20 to 23 2022)	1.1
	September 21 to October 10 2022	20 days
	August 28 to September 12 2022	16 days

*recorded by the tipping bucket gauge



CRS Saskatoon
30 Dec 2022
Photo: V. Wittrock

PRECIPITATION

RANKING BY					
Total Number of Dry Days*	Maximum Length of Dry Spell*		Maximum Length of Wet Spell*		
2001	282	1976	48	2003	21
1964	280	1993	40	1968	14
1984	278	2000	40	1969	14
2021	276	1965	37	1997	12
1988	275	1980	36	2013	11
1965	271	1997	36	2014	11
1966	267	2002	35	1977	10
1986	267	1964	31	1980	10
1997	267	1984	30	1989	10
1981	266	2009	30	2004	10
1987	266	2010	29	2008	10
1967	265	2017	29	1983	9
1994	264	1966	28	1986	9
1968	260	1974	28	2010	9
1990	260	2012	28	1965	8
1998	259	1968	27	1972	8
2015	259	2004	25	1974	8
1985	258	2013	25	2005	8
1993	258	2021	25	2009	8
1995	258	1972	23	2011	8
1999	258	1973	23	2016	8
2002	258	1996	23	1973	7
1996	256	1977	22	1976	7
2003	255	1987	22	1982	7
2018	255	1978	21	1992	7
1976	251	1982	21	1993	7
1992	250	2001	21	2000	7
2000	248	2015	21	2002	7
2009	246	1969	20	2012	7
2008	245	1986	20	2019	7
1980	244	1999	20	1964	6
2012	244	2011	20	1966	6
2014	244	2022	20	1970	6
1971	243	1967	19	1975	6
2013	243	1981	19	1978	6
2017	242	1988	19	1979	6
1989	241	2008	19	1981	6
2020	241	2018	19	1988	6
1970	240	1994	18	1991	6
1979	239	1995	18	1994	6
2011	239	2003	18	1996	6
1972	238	1975	17	2006	6
1977	238	1979	17	2007	6
2007	237	1985	17	2020	6
1975	235	1998	17	1971	5
1991	234	2005	17	1985	5
1983	233	2014	17	1987	5
2010	233	2020	17	1990	5
2019	233	1983	16	1995	5
2005	231	1990	16	1998	5
1974	229	1991	16	1999	5
1982	229	1992	16	2015	5
2006	227	1971	15	2017	5
2022	226	2007	15	2018	5
1978	224	2019	15	2021	5
2016	222	1989	14	2022	5
1969	218	1970	13	1967	4
2004	208	2006	13	1984	4
1973	200	2016	12	2001	4

*For this report, a dry day is defined as a day on which precipitation is not recorded; a dry spell is 2+ consecutive days of no precipitation; a wet spell is 2+ consecutive days of precipitation.



Tipping Bucket rain gauge
23 May 2022
Photo: V. Wittrock



All-Season Precipitation Weighing Gauge
with 2 meter anemometer
04 May 2022
Photo: G. Epp/K. Babich

PRECIPITATION RANKINGS


RANKING BY WETTEST YEAR (mm)									
ANNUAL (JAN-DEC)		WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2010	707.4	1969	98.1	2010	216.1	2010	316.4	2006	203.4
1991	546.9	1972	92.2	2012	184.3	2005	269.4	1969	151.8
2006	517.5	1974	92.2	1977	164.1	2012	266.0	2010	151.1
2012	501.1	2007	74.7	2014	162.4	2004	260.0	1984	137.0
2005	486.8	1980	73.0	1974	148.0	1991	251.6	1978	111.4
1983	471.6	1976	69.5	1991	147.3	1971	248.8	2005	109.4
1974	462.7	1965	69.3	1985	134.3	2007	231.0	1991	105.4
2014	452.7	1975	67.3	1983	125.2	1968	225.9	2015	99.2
1968	443.1	1973	63.2	1975	119.6	1966	222.0	1983	96.2
1982	436.2	1978	63.0	1982	110.8	1970	216.5	1973	88.2
1969	427.4	1979	61.3	1994	109.4	1983	215.8	1986	87.2
1971	414.6	1971	60.4	2006	101.8	2009	212.8	1982	81.5
2007	413.9	1989	57.9	1989	101.7	1982	208.4	1964	77.4
1986	411.3	1986	57.2	1968	97.6	2002	206.8	2016	77.4
2004	404.5	1990	55.6	1997	88.2	1965	206.6	1967	76.8
1973	393.3	1992	55.0	1979	87.3	2014	206.2	1996	74.4
1975	392.3	1966	54.7	1990	87.2	1974	205.5	1993	73.1
1970	388.8	1968	53.8	1986	82.5	1986	196.2	2002	72.8
1989	384.8	1970	52.7	2017	79.9	1999	194.2	1968	71.3
1966	376.9	1985	52.3	1967	78.0	2008	191.2	1998	70.0
1977	370.5	1981	52.2	1987	73.6	2016	188.9	2019	68.7
2016	363.6	1996	51.0	1973	73.1	2011	186.6	1980	66.6
1965	358.8	1997	48.0	1978	72.8	2013	185.3	1992	65.9
1978	358.1	1964	47.9	1972	71.6	2006	183.8	2011	65.7
1967	354.3	2005	45.4	2022	70.1	2000	183.8	1977	65.4
1979	352.0	1994	45.1	1976	69.1	2019	180.0	2018	65.0
1994	341.4	1977	43.1	1969	68.5	1976	169.4	2014	64.9
2015	340.7	1983	41.1	1964	65.8	1994	165.6	1989	64.5
1996	340.6	2013	41.1	1970	65.7	1995	164.4	2008	64.4
1976	331.8	1991	40.3	1995	65.4	2015	156.4	2017	62.2
1985	330.6	2009	38.8	2007	64.7	1973	156.1	1997	61.6
1995	327.7	2022	38.5	1993	62.2	1996	154.4	1981	61.4
2011	320.6	1967	37.9	2005	62.1	1993	151.0	2020	58.2
2002	320.0	1982	37.0	2003	61.8	1989	149.9	2009	56.5
2009	319.3	1988	35.9	1966	61.2	2020	149.2	1970	56.4
2013	318.4	2014	34.9	1971	61.1	1988	148.9	1985	55.2
1972	317.9	2011	32.3	2020	61.1	1975	144.5	1979	53.4
2000	315.4	2016	32.1	2000	59.2	1990	144.5	1995	52.6
2008	313.8	2006	32.0	2016	59.0	1978	142.5	2003	51.2
1990	309.8	2000	31.7	1996	58.8	1967	139.9	1965	50.9
1980	305.9	1995	31.3	1984	57.2	1979	135.9	1966	50.2
1993	300.0	1999	31.3	1999	56.5	1998	133.4	2004	50.0
1999	297.7	1987	30.6	1988	55.6	1972	133.3	1975	48.8
2019	295.9	2004	29.3	1992	55.5	2022	128.3	2007	45.3
1984	293.1	2003	29.2	2004	55.4	2003	126.2	1974	40.0
1997	291.4	2015	29.1	1981	54.3	1981	124.9	1988	38.1
1992	288.1	2017	28.4	2015	54.2	1980	120.3	1971	34.2
1988	285.7	2019	25.8	2018	51.8	1997	116.4	1990	33.9
2020	284.5	2001	23.1	2013	51.0	1992	115.6	1972	32.3
1964	282.7	2010	22.5	2021	44.7	1969	105.5	2013	31.6
1981	279.8	1998	22.4	1965	43.2	2017	92.7	2000	31.2
2022	275.4	1993	22.0	1980	42.2	1987	92.6	2022	29.7
1998	263.3	2008	21.6	2011	41.3	1985	91.8	2012	29.1
2003	257.7	2020	19.3	2001	34.0	2001	91.2	2001	28.5
2017	257.1	1984	19.2	1998	29.8	1977	81.9	2021	27.7
1987	232.4	2018	19.0	2008	29.8	2018	81.4	1987	27.4
2018	216.3	2021	15.3	2002	20.3	1964	73.9	1976	21.8
2021	167.6	2012	13.5	2009	19.0	1984	70.2	1994	21.0
2001	165.8	2002	12.1	2019	18.5	2021	69.3	1999	17.2

ANNUAL RANKING BY DAYS WITH PRECIPITATION									
ANNUAL (JAN-DEC)		WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2004	158	1969	61	2004	44	2010	45	2006	38
1969	147	1974	57	2012	39	1978	43	1978	36
2016	143	1972	48	1979	37	2012	43	2007	36
1978	139	1979	48	1974	36	1982	42	2004	34
2006	139	2019	45	1983	36	1991	42	1992	33
2022	137	2009	43	2005	36	2004	42	2019	33
1974	136	1976	41	2006	36	2014	41	1969	32
1982	136	1983	41	1975	35	1994	41	1970	32
2005	135	2017	41	2017	35	2005	40	1983	32
1983	132	1970	40	2022	35	2016	40	2016	32
2010	132	1971	40	1982	34	1976	39	1989	31
2019	132	1978	40	1997	32	1973	38	2018	31
1991	131	2011	40	2000	32	1974	38	2014	30
1975	130	2016	39	2020	32	1981	38	1977	30
1977	129	2022	39	1977	31	2019	38	1991	30
1972	128	2005	37	1993	31	1986	37	2010	30
2007	128	2014	36	1999	31	1972	36	1984	29
1973	127	1973	36	1969	30	1989	36	2002	29
2011	127	1980	36	1989	30	2002	36	1985	28
1970	126	1981	36	1995	30	2008	36	1967	27
1979	126	2006	36	2003	30	2009	36	2008	27
1989	124	2021	35	2007	30	1966	35	2017	27
1980	123	1982	34	2011	30	1975	35	1973	25
2013	123	1975	33	2013	29	1980	35	1975	25
1971	122	1991	33	2014	28	1987	35	2003	25
2017	122	2003	33	2010	28	1993	35	1965	24
2014	121	1977	31	2018	28	2000	35	1981	24
2008	121	2020	31	1987	27	2006	35	1996	24
2020	121	1992	30	1990	27	2013	35	1998	24
2012	120	1997	30	1991	27	2022	35	2001	24
2009	119	2000	30	2016	27	1996	34	2011	24
2000	118	2007	30	1970	26	1997	34	2015	24
1992	116	2015	30	1971	26	1999	34	2022	24
1976	115	2004	29	1973	26	2020	34	1971	23
1981	113	2010	29	1985	25	1968	33	1980	23
2018	112	1965	27	2008	25	1977	33	1986	23
1996	110	1989	27	1984	24	1992	33	2009	23
2003	110	1990	27	1996	24	1988	32	1968	22
1985	107	1998	27	2009	24	1990	32	1972	22
1995	107	1966	26	1972	23	1995	32	1993	22
1999	107	1967	26	1976	23	1971	31	2005	22
2002	107	1986	26	1978	22	1983	31	2012	22
1968	106	2008	26	1980	22	2007	31	2020	22
1993	106	1968	25	1986	22	1965	29	1979	21
1998	106	1999	25	1998	22	2018	29	1995	20
1990	105	1964	24	2002	22	1964	28	2013	20
2015	104	1993	24	2015	22	1970	28	1982	19
1987	102	1996	24	1967	21	1979	28	1988	19
1994	101	2013	24	1981	21	1998	28	2000	19
1967	100	1988	23	1992	20	1969	27	1964	18
1966	98	1994	23	1994	20	2015	27	1990	18
1986	98	2001	23	2001	20	2003	26	1966	17
1997	98	1985	22	1968	19	2021	26	1994	15
1965	94	1995	21	1988	19	1967	25	1987	14
2021	93	2018	21	1966	18	1985	25	1997	14
1988	91	1987	19	2019	18	2011	25	1974	13
1984	88	2012	19	2021	17	2017	24	1999	13
1964	86	1984	18	1965	16	2001	23	2021	13
2001	84	2002	16	1964	14	1984	18	1976	9


PRECIPITATION

MONTH	MONTHLY PRECIPITATION (mm)				EXTREME VALUES (mm)				SM	Saskatoon stations circa (NWHP et al)	1889-1901
	2022	NORMAL	CUMULATIVE 2022	% OF CUMULATIVE NORMAL	CRS Maximum	CRS Minimum	SASKATOON AREA Maximum				
January	17.2	13.2	17.2	130.3	48.6/1969	2.6/2001	66.1/1911 ^{SE}	SE	Saskatoon Eby	1901-42	
February	7.9	9.1	25.1	112.6	40.2/1979	1.7/2021	43.7/1924 ^{SE}	US	University of Saskatchewan	1915-64	
March	21.1	11.2	46.2	137.9	57.1/1967	0.8/2010	59.0/1927 ^{SE}	S	Saskatoon	1941-42	
April	10.1	23.3	56.3	99.1	83.5/2014	2.4/1988, 1989, 2007	86.1/1955 ^{US}	SA	S'toon Diefenbaker In'l Airport	1942-2008	
May	38.9	37.6	95.2	100.8	145.3/1977	0.2/2002	178.0/1977 ^{SWT}	NRC	National Research Council	1952-66	
June	59.3	73.9	154.5	91.8	171.0/2005	13.0/1985	186.8/1942 ^S	SRC	Sask. Research Council	1963-	
July	35.3	60.1	189.8	83.1	125.9/1971	5.0/2021	162.9/1928 ^{SE}	SWT	S'toon Water Treatment Plant	1974-2006	
August	33.7	46.4	223.5	81.3	105.2/2007	7.0/2001	178.9/1954 ^{NRC}	SC	Saskatoon Central Ave	1974-89	
September	4.9	33.4	228.4	74.1	128.4/2006	0.8/1995	128.4/2006 ^{SRC}	S2	Saskatoon 2	1977-90	
October	6.9	20.4	235.3	71.6	69.8/1969	0.0/2000	69.8/1969 ^{SRC}	K	Saskatoon Kernen Farm	1993-2004	
November	17.9	13.8	253.2	73.9	48.2/1973	0.4/2009	57.3/1940 ^{SE}	KCS	Saskatoon Kernen Farm CS	1996-2008	
December	22.2	9.9	275.4	78.2	43.0/1977	1.2/1997	59.2/1956 ^{SA}	RCS	Environment Canada	2008-	
Total	275.4	352.3			707.4/2010	165.8/2001	707.4/2010 ^{SRC}				


Monthly




Annual




SEASONAL PRECIPITATION for 1964 to 2022




Winter



Spring



Summer




Autumn


PRECIPITATION

MONTH	NUMBER OF DAYS WITH MEASURABLE PRECIPITATION					EXTREME VALUES	
	2022	Cumulative 2022	Normal	CUMULATIVE NORMAL	% OF CUMULATIVE NORMAL	CRS Maximum	CRS Minimum
January			11.5	11.5	147.1	25/1974	3/2001
February	15	15	8.1	19.6	148.6	20/1969	2/1984
March	11	26	9.8	29.4	148.3	19/2004	2/1990, 92, 94 2007, 2010
April	13	39	9.3	38.7	149.0	17/2003	2/1964
May	13	52	9.3	48.0	135.3	19/1989	1/2002
June	9	61	13.4	61.4	126.7	21/1991	7/1964&1968
July	12	73	12.0	73.4	126.8	19/1986	4/1984
August	15	88	9.4	82.8	121.2	18/2002	2/2001
September	8	96	8.0	90.8	113.6	19/1977	2/1995, 2012, 13, 17
October	4	100	8.8	99.6	109.4	16/2004	0/2000
November	5	105	8.8	108.4	115.6	18/1970	1/1986, 74, 76, 90, 2009
December	15	120	10.3	118.7	120.0	21/2013	2/1997
Total	17	137	118.7			158/2004	84/2001

Monthly Days







Annual Days



Snow cover disappearance
 March 2022.
 Left photo: March 08
 Right photo: March 23
 Photo: V. Wittrock



SEASONAL PRECIPITATION DAYS for 1964 to 2022




PRECIPITATION GRID (mm)


Precipitation Daily

2022	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	0.1	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.1
2	0.0	0.0	0.0	0.7	0.0	0.0	0.0	19.0	0.0	0.0	0.2	0.0
3	2.9	0.0	0.1	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.5	0.1
4	2.3	1.8	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
5	0.0	0.4	0.0	2.5	0.0	0.0	0.7	0.0	0.0	0.0	4.4	0.1
6	0.0	0.3	0.0	0.5	4.2	0.0	0.4	0.0	0.0	0.0	0.0	0.3
7	1.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.3
8	0.0	0.0	0.2	0.0	0.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.6	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	2.2	0.0	0.2	0.4	6.5	0.7	0.0	0.0	0.0	0.3	0.0
11	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0
12	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.5
13	3.1	0.0	0.0	0.1	13.9	0.2	0.8	2.2	0.2	0.0	0.0	0.2
14	0.0	0.3	0.4	0.2	1.7	0.0	6.6	0.0	0.0	0.0	1.2	0.2
15	0.0	1.2	0.0	0.0	0.0	1.7	0.0	0.0	0.3	0.6	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.2	0.0	0.0	0.1	0.0
17	1.0	0.4	0.0	0.0	5.0	0.0	9.3	0.5	0.0	0.0	0.0	0.0
18	0.1	0.0	0.0	0.0	1.8	0.0	0.6	0.0	0.0	0.0	0.0	0.0
19	0.0	0.5	0.0	2.1	7.9	0.3	0.5	0.0	3.6	0.0	0.0	1.9
20	1.4	0.0	2.2	1.7	0.0	34.6	0.3	0.0	0.8	0.0	0.0	0.2
21	0.1	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.9
22	2.2	0.0	0.0	0.0	0.0	3.4	0.0	0.3	0.0	0.0	0.0	0.0
23	0.5	0.0	0.0	0.5	0.0	5.7	0.0	0.0	0.0	3.4	0.0	0.3
24	0.0	0.0	1.6	0.0	0.0	0.7	2.7	2.4	0.0	1.1	0.0	0.2
25	0.4	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.2	0.0	5.3
26	0.3	0.0	0.3	0.0	0.0	0.0	0.2	2.9	0.0	0.0	0.0	0.0
27	0.0	0.1	0.0	1.0	0.2	0.0	0.0	6.2	0.0	0.0	0.4	4.6
28	0.0	0.1	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.9
29	0.0		1.8	0.0	3.8	0.3	0.0	0.0	0.0	0.0	0.9	0.1
30	0.0		0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	1.1	0.0
31	1.3		4.3		0.0		1.3	0.0		0.0		0.0


*Snow-on-the-Ground (cm)
October 2021 to April 2022
Daily, 9am*




*Snow-on-the-Ground (cm)
October 2022 to December 2022
Daily, 9am
NOTE: Snow depth for January to April 2023
will be in the 2023 Annual Summary*




SNOW-ON-THE-GROUND (SOG) ON LAST DAY OF MONTH




January




October




February




November



March



December



April



Automated Snow Depth Sensor
03 February 2022
Photo: R. Jansen

RADIATION

MONTH	BRIGHT SUNSHINE (HOURS)					BRIGHT SUNSHINE DAYS						
	2022	NORMAL	% OF NORMAL	POSSIBLE SUNSHINE*	% OF POSSIBLE	2022 CUMULATIVE (HOURS)	NORMAL CUMULATIVE (HOURS)	2022 NUMBER OF DAYS	NORMAL NUMBER OF DAYS	2022 CUMULATIVE (DAYS)	NORMAL CUMULATIVE (DAYS)	2022 WITH MORE THAN 1 HOUR
JAN	105.4	105.3	100.1	259.3	40.7	105.4	105.3	26	24.0	26	24.0	20
FEB	152.6	139.6	109.3	279.1	54.7	258.0	244.9	25	24.1	51	48.1	24
MAR	224.0	204.0	109.8	369.6	60.6	482.0	448.9	28	28.3	79	76.4	27
APR	214.5	231.4	92.7	418.7	51.2	696.5	680.3	28	27.6	107	104.0	27
MAY	270.4	274.7	98.4	487.9	55.4	966.9	955.0	30	29.5	137	133.5	29
JUNE	288.5	253.0	114.0	500.3	57.7	1255.4	1208.0	29	28.0	166	161.5	29
JULY	323.5	305.5	105.9	501.8	64.5	1578.9	1513.5	31	30.4	197	191.9	30
AUG	317.7	276.9	114.7	452.4	70.2	1896.6	1790.4	31	30.0	228	221.9	29
SEP	268.6	214.7	125.1	378.9	70.9	2165.2	2005.1	30	27.8	258	249.7	28
OCT	228.8	158.7	144.2	328.9	69.6	2394.0	2163.8	30	26.4	288	276.1	28
NOV	79.9	97.4	82.0	263.8	30.3	2473.9	2261.2	18	22.2	306	298.3	13
DEC	91.9	89.2	103.0	242.2	37.9	2565.8	2350.4	27	22.7	333	321.0	19
TOTAL	2565.8	2350.4	109.2	4482.9	57.2			333	321.0			303

* National Research Council, Canada, Hertzberg Institute of Astrophysics


Global and Diffuse Radiation (MJ/m²)

DATE	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse
1	4.9	1.4	6.9	1.9	6.2	5.9	9.5	7.6	24.4	6.3	27.8	5.8	25.6	11.0	22.1	7.8	19.4	4.1	11.4	5.8	2.9	2.8	2.7	2.4
2	3.5	2.2	8.2	3.5	11.8	3.8	13.9	9.0	20.2	7.7	28.9	5.0	19.0	12.1	12.3	9.4	20.3	2.4	12.6	2.1	1.1	1.1	4.1	2.4
3	1.7	1.7	9.0	4.1	9.3	7.7	15.7	4.7	20.1	10.5	25.7	7.4	25.9	7.7	20.7	9.0	19.7	3.5	12.4	2.4	6.1	2.3	4.0	2.1
4	2.6	2.7	3.3	3.3	4.6	4.5	17.6	4.2	21.3	6.8	28.1	5.9	15.1	12.0	22.3	5.1	15.9	6.3	11.2	3.6	8.3	1.4	3.0	1.6
5	4.4	1.4	4.6	4.3	10.1	6.9	8.0	5.9	23.5	8.6	25.5	8.0	7.9	6.6	12.1	9.3	17.0	5.6	9.3	5.0	1.2	1.2	4.4	1.6
6	2.7	2.0	3.9	3.6	11.6	5.0	7.8	6.1	18.1	7.2	28.2	6.5	16.5	9.5	24.2	4.7	19.6	2.7	13.2	1.6	3.2	3.2	5.0	1.3
7	1.9	2.0*	5.8	4.4	8.4	7.3	19.9	3.9	8.0	6.6	19.3	12.3	27.5	5.8	19.1	9.0	17.5	4.6	12.1	2.0	3.2	3.2	4.9	2.3
8	4.3	1.4	5.5	4.5	10.8	8.4	16.3	6.4	19.0	12.0	21.9	10.4	20.1	7.8	23.5	4.6	14.4	5.0	11.3	3.0	3.2	3.1	3.7	1.1
9	4.1	2.0	4.2	3.9	14.2	2.5	14.4	7.1	24.1	9.7	14.3	7.3	24.9	6.7	25.6	3.0	11.8	7.5	11.3	2.1	6.3	2.9	2.1	2.1
10	4.4	3.1	6.2	2.5	13.8	3.4	9.3	8.4	9.3	8.4	13.3	7.3	14.8	7.2	13.4	9.9	18.5	2.5	11.3	1.9	4.0	3.2	4.9	2.0
11	3.2	2.6	6.8	3.5	14.7	6.2	8.1	7.6	27.5	5.9	16.6	9.7	28.7	4.0	9.1	5.6	17.5	3.5	8.1	3.6	6.6	1.9	2.9	1.7
12	2.7	2.6	8.3	1.8	13.6	3.8	8.7	8.2	24.7	6.3	18.5	10.0	28.6	3.5	22.6	5.6	17.1	3.6	11.7	1.8	4.3	3.2	1.8	1.8
13	1.3	1.3	4.9	2.8	10.8	8.6	11.1	9.7	3.6	3.2	11.3	8.0	23.4	8.4	22.1	4.8	6.6	6.0	11.0	1.6	2.2	2.0	1.8	1.8
14	2.2	2.2	5.8	5.3	7.7	7.6	10.6	9.0	20.4	9.3	12.3	9.9	28.0	3.8	22.5	4.8	10.0	7.2	7.9	4.7	2.8	2.3	2.0	1.9
15	2.6	2.5	5.8	5.3	9.8	9.3	16.5	9.7	24.9	6.1	10.2	8.1	26.8	5.4	23.2	3.8	10.7	6.5	9.7	2.6	2.7	2.5	3.6	1.0
16	4.5	1.7	9.8	2.5	16.1	3.0	21.6	5.7	17.4	10.5	16.6	10.4	28.3	4.0	22.9	3.7	8.3	6.8	4.9	3.8	2.7	2.6	2.4	2.0
17	2.7	2.7	5.8	5.7	16.2	2.6	17.8	7.8	16.8	9.6	27.0	7.2	21.4	6.1	16.5	5.1	9.5	7.3	10.2	1.4	5.2	1.8	2.0	2.0
18	4.3	1.7	8.9	3.8	14.0	4.0	20.7	5.5	12.1	9.2	26.9	7.1	22.3	8.7	22	4.3	15.8	3.2	9.9	2.2	2.3	2.3	2.9	1.9
19	6.6	1.5	4.7	4.6	16.0	3.4	8.2	7.4	9.8	5.9	7.4	6.6	24.9	6.1	22.6	3.3	4.4	3.9	9.0	2.4	5.1	1.4	2.2	2.2
20	4.1	3.3	8.8	6.9	4.1	3.9	11.2	10	13.8	11.5	7.5	5.7	27.5	5.0	20.9	4.4	6.5	5.5	2.5	2.2	4.1	2.4	4.7	1.5
21	4.3	2.0	10.4	3.7	12.9	4.1	21.5	7.0	25	8.5	20.4	9.0	25.5	6.1	21.0	4.4	16.2	1.6	6.1	3.3	2.2	2.2	3.4	2.2
22	3.1	3.2	10.6	4.0	17.4	2.2	4.5	4.2	19.5	13.1	24.5	9.9	15.4	7.1	6.2	5.6	14.1	3.2	8.9	2.2	3.9	2.8	3.7	1.8
23	2.2	2.1	11.8	4.6	13.1	8.2	16.9	9.8	26.1	6.3	22.0	10.7	15.6	10.4	20.3	4.8	9.7	4.6	1.7	1.7	4.3	1.5	3.2	2.3
24	6.5	2.1	11.2	3.1	11.0	3.8	24.1	5.3	22.7	8.8	12.6	9.1	24.7	5.5	14.3	6.3	15.1	1.9	4.0	4.0	3.7	2.9	2.2	2.2
25	5.5	2.9	11.0	2.7	18.1	2.3	23.7	7.6	22.9	8.6	22.0	8.4	9.5	8.3	20.0	5.6	14.4	2.9	4.3	4.0	3.0	2.8	2.7	2.6
26	2.5	2.5	8.7	6.4	14.6	7.4	23.5	6.7	27.8	5.6	28.6	5.6	20.0	7.6	12.6	7.2	14.5	1.6	8.3	3.1	4.4	1.0	1.9	1.8
27	4.5	3.8	6.7	6.5	16.9	4.1	14.6	7.9	14.4	9.7	25.0	8.4	27.2	5.0	16.6	5.0	13.3	3.6	6.2	2.0	2.1	2.0	1.5	1.6
28	4.2	3.9	6.0	6.0	9.3	7.4	23.4	6.5	22.4	8.4	29.1	5.4	26.2	4.6	5.4	4.9	14.0	1.9	4.4	3.7	1.5	1.5	2.3	2.3
29	5.8	1.8			16.8	5.3	21.2	9.3	12.0	9.3	17.2	8.9	25.9	4.7	21.1	2.3	12.4	3.7	7.8	2.1	3.0	2.9	2.3	2.1
30	6.5	2.0			19.7	3.2	22.1	6.1	10.4	8.7	28.1	5.7	6.7	5.5	20.4	2.4	10.7	4.6	7.8	1.2	2.9	2.9	5.5	1.4
31	2.6	2.6			9.9	5.5			28.2	4.5			13.9	8.0	20.0	2.7			5.4	3.0			2.2	1.9
TOTAL	116.4	70.9	203.6	115.2	383.5	161.3	462.4	214.3	590.4	250.8	616.8	239.7	667.8	214.2	577.6	168.4	414.9	127.3	265.9	86.1	108.5	69.3	96	58.9
1971-2000 NORMAL	129.9	71.4	210.1	105.3	362.4	173.9	492.2	178.5	586.3	222.2	638.7	228.1	633.5	216.5	529.0	185.6	351.8	127.6	239.1	92.6	123.7	73.6	95.2	54.3
1981-2010 NORMAL	126.9	68.7	213.0	104.0	371.9	162.9	486.9	186.2	603.5	218.5	625.7	224.4	650.6	209.9	542.1	179.0	374.1	123.2	239.0	96.7	127.2	63.4	100.0	50.0
1991-2020 NORMAL	121.8	65.6	209.1	100.9	378.7	156.3	487.2	180.1	634.1	214	612.6	218.3	662.0	203.3	542.2	172.5	373.1	120.9	226.5	92.8	118.5	60.8	92.1	47.6

* Diffuse Ring misaligned


RADIATION

Annual Bright Sunshine Hours




Goble, 2002; U.S. Geological Survey, n.d.


Seasonal Bright Sunshine Hours




Monthly Bright Sunshine Hours




Monthly Comparison Bright Sunshine Hours, Global & Diffuse Radiation




RADIATION



Annual Bright Sunshine Days



Seasonal Bright Sunshine Days



Monthly Bright Sunshine Days

2022 BRIGHT SUNSHINE RECORDS				
TYPE	DATE	NEW RECORD	OLD Record	YEAR
Number of days with ≥ 5 hours of bright sunshine	October	24	24	1974, 1988, 2010
Number of days with ≥ 10 hours of bright sunshine	October	9	8	2010

RADIATION Bright Sunshine Ranking

% OF ACTUAL TO POSSIBLE HOURS BRIGHT SUNSHINE				
% ANNUAL	WINTER % DJF	SPRING % MAM	SUMMER % JJA	AUTUMN % SON
1979 337	2012 81	2019 91	1977 92	1979 86
1976 335	2007 80	2020 91	1982 92	1999 86
1978 335	1972 79	1994 89	1997 92	1976 84
2017 335	1984 79	2002 89	2001 92	2003 84
2011 334	2018 79	2008 89	2011 92	1987 83
2008 333	1979 78	1969 88	2013 92	2011 83
2022 333	1982 78	1997 88	2017 92	1990 82
1980 331	1993 78	1998 88	1969 91	2008 82
1990 331	2022 78	2011 88	1970 91	2017 82
2001 331	1966 77	2013 88	1976 91	1968 81
2009 331	1988 77	2015 88	1978 91	2005 81
2020 330	2000 77	1980 87	1979 91	1978 80
2021 329	1976 76	1985 87	1989 91	2009 80
2007 328	1980 76	2000 87	2016 91	1966 79
1997 327	2020 76	2014 87	2021 91	1967 79
1999 327	2017 75	1968 86	2022 91	1974 79
2015 326	2021 75	1971 86	1967 90	1977 79
1977 325	1977 74	1972 86	1971 90	1985 79
1988 325	1978 74	1984 86	1980 90	1988 79
1970 324	1990 74	1988 86	1983 90	1993 79
1994 324	2008 74	1992 86	1985 90	2004 79
1968 323	2009 74	2004 86	2007 90	2014 83
1985 323	1991 73	2007 86	2018 90	1980 78
1989 323	1970 72	2016 86	2019 90	2022 78
1993 323	1971 72	2022 86	2020 90	1975 77
1996 323	1996 72	1976 85	1972 89	1991 77
2013 323	1973 71	1978 85	1974 89	1994 77
2003 322	1987 71	2001 85	1981 89	1997 77
2016 322	1989 71	2009 85	1986 89	2000 77
2019 322	2001 71	2017 85	1987 89	2013 77
1971 321	2002 71	2021 85	1994 89	2020 77
1987 321	2015 71	1966 84	1999 89	1996 76
2000 321	1999 70	1970 84	2003 89	2001 76
2005 321	2014 70	1981 84	2009 89	2007 76
2012 321	1975 69	1990 84	2015 89	2010 76
1966 320	1997 69	1996 84	1966 88	2015 76
1975 319	2016 69	2005 84	1968 88	1982 75
1982 319	2019 69	1967 83	1984 88	1989 75
2002 319	1968 68	1973 83	1988 88	2002 75
1967 318	1974 68	1975 83	1995 88	1973 74
1969 318	1985 68	1979 83	1996 88	1971 73
1972 316	1995 68	1989 83	2000 88	1983 73
2010 316	2003 68	1993 83	2006 88	1995 73
2018 316	2013 68	2010 83	2008 88	1970 72
1974 315	1969 67	2018 83	2010 88	1981 72
1991 315	1981 67	1977 82	2014 92	1998 72
1981 313	2005 67	1986 82	1975 87	2012 72
1984 312	1992 65	1991 82	1990 87	2021 72
1973 311	2011 65	1999 82	1991 87	1969 71
1998 310	2006 64	2012 82	1993 87	1986 71
2006 308	1967 63	1982 81	1998 87	2019 71
2014 335	2004 63	1995 81	1973 86	2006 70
1986 307	1986 62	2006 81	2012 86	2016 70
1983 305	1998 62	1983 80	2002 85	2018 67
1995 303	1994 60	1974 79	2005 84	1992 66
2004 301	1983 55	2003 79	1992 83	1972 64
1992 300	2010 44	1987 77	2004 81	1984 64

DAYS WITH BRIGHT SUNSHINE				
ANNUAL	WINTER DJF	SPRING MAM	SUMMER JJA	AUTUMN SON
2011 59.9	2018 56.6	2019 69.9	1969 70.7	2011 61.7
2013 59.9	1980 55.0	2015 68.5	1967 69.8	1976 60.3
2015 59.5	2000 52.8	1980 66.7	1978 69.2	2022 59.4
2021 59.3	2014 51.4	2018 66.1	1979 67.9	2013 58
1976 58.8	2007 50.9	2021 65.6	1984 67.9	2008 57.3
1980 58.3	2021 50.5	2013 64	1974 67.7	2021 55.8
2008 58.1	2012 49.7	2011 63.1	1970 67.5	2015 55.5
2022 57.2	1979 47.9	1968 63.0	2011 66.4	1966 53.3
2018 57.2	2001 47.8	2009 62.8	2006 66.1	2001 52.9
1978 57.2	2020 47.8	2008 62.2	2017 65.6	1974 52.2
2007 57.0	1996 47.7	1976 62.1	1975 65.6	2017 52.1
1979 56.8	2002 47.1	2020 60.4	1971 65.6	2007 52.1
2017 56.7	1982 46.6	1971 60.1	1982 65.4	2009 52.1
1971 56.3	1978 46.4	1969 59.2	1985 64.8	2005 52.1
2009 56.3	2017 46.1	1977 58.8	2013 64.7	2010 51.8
1967 56.0	1976 46.0	2002 58.6	2007 64.7	1979 51.3
2006 55.7	1989 45.8	1998 58.6	1976 64.2	1994 51.1
2001 55.7	2022 45.6	2007 58.6	1983 64.2	2012 50.4
2020 55.6	2009 45.3	1989 57.6	2022 63.9	2000 50.3
1977 55.4	1971 45.2	1981 57.6	1977 63.8	1967 50.2
2019 55.3	1966 45.1	2006 57.4	2012 63.5	1982 50.0
1969 55.3	1977 45.0	2001 56.9	1968 63.3	2014 49.7
1975 55.0	1984 44.9	1994 56.6	1972 63.3	1988 49.3
2012 54.8	1988 44.8	1966 55.7	1981 63.1	2020 49.2
1968 54.2	2019 44.8	2022 55.5	2015 63.0	1978 49.1
1970 53.9	1970 44.6	1972 55.4	2008 62.9	2003 49.1
1981 53.8	2008 43.5	2017 54.9	1980 62.0	1975 48.9
1974 53.8	1993 43.4	2016 54.6	2018 62.0	1990 48.7
1966 53.5	2010 43.3	1967 54.4	1991 61.9	2006 48.5
1989 53.1	1975 42.4	1970 53.6	1988 61.8	1973 48.3
1988 53.0	2015 42.3	1979 53.4	2016 61.4	1980 47.7
1982 52.8	1981 42.2	1985 53.4	2020 61.4	1977 47.6
2014 52.5	2003 41.6	2003 53.3	1973 61.1	1997 47.5
2003 52.1	1973 41.2	1975 53.1	2021 59.7	2004 47.4
2016 51.9	1991 40.2	1978 53.0	2001 59.2	1989 46.5
2002 51.6	1995 40.2	2005 52.4	2010 58.7	1971 46.2
1984 51.6	1990 39.7	2014 52.4	1996 58.7	1995 45.8
1990 51.0	2013 39.1	2012 52	1966 58.7	1987 45.5
1973 51.0	2016 39.1	1991 51.7	1986 58.2	1999 44.2
2010 50.7	1987 38.9	1988 51.6	1989 58.1	2002 44.1
1985 50.5	2011 38.8	1992 51.5	1990 58.0	1968 44.0
1991 50.5	1999 38.5	1973 50.8	2009 57.8	1993 43.8
2000 50.0	1968 38.0	1983 50.1	2014 57.8	1981 43.1
1972 49.8	2005 37.9	1990 49.8	1997 57.7	1969 42.9
1997 49.6	2006 37.1	1997 49.3	2003 57.4	2016 42.0
1994 49.6	1997 37.0	1974 49.0	2019 56.8	2018 42.0
2005 49.1	1967 36.5	2004 48.7	2002 53.8	1983 41.5
1983 48.9	1972 36.3	1982 48.3	1999 52.2	2019 41.2
1996 47.9	2004 35.9	1993 48.2	2000 52.1	1991 40.4
1999 46.5	1992 35.9	2000 48.1	1994 51.0	1970 40.2
1995 46.5	1986 35.6	2010 47.6	1995 50.5	1985 39.3
1986 46.0	1985 35.1	1995 47.6	2004 48.5	1998 38.9
1998 46.0	1969 34.0	1984 47.0	2005 48.5	1984 38.1
1987 45.1	1998 33.7	1987 46.8	1992 48.4	1996 37.7
1993 44.9	1974 32.2	1999 45.2	1987 46.3	1986 36.4
2004 44.8	1994 26.9	1986 44.7	1998 45.8	1992 35.3
1992 43.8	1983 24.2	1996 44.1	1993 44.9	1972 33.6

WIND


MONTH	AVERAGE WIND SPEED (km/h)			HIGHEST INSTANTANEOUS WIND SPEED (km/h)						
	2022 Average	Normal*	2022 1/2 Hr. Max Average	2022 for CRS (Speed / direction / date)		Since 1953 (Saskatoon Diefenbaker Int'l. Airport) (Speed / direction / day / year)				
January	14.7	16	21.6	74.9	N	31	111	W	11	1986
February	14.5	16	21.1	63.1	NW	10	106	N	22	1988
March	16.0	17	23.5	69.7	NW	24	93	W	18	1959
April	18.9	18	28.5	67.8	SE	26	108	W	06	1959
May	16.5	18	25.9	69.6	W	6	132	SW	17	1965
June	14.8	17	23.4	64.3	ESE	17	117	SW	01	1986
July	13.4	16	21.7	77.3	W	17	113	E	05	1955
August	13.2	16	21.2	63.0	WNW	5	151	W	14	1967
September	15.0	17	23.3	65.7	NW	1	148	W	22	1967
October	13.7	17	20.9	72.0	NNW	12	138	NW	16	1967
November	15.4	16	22.6	74.0	N	5	100	W	17	1967
December	14.0	16	20.1	59.8	SE	25	121	W	12	1955

*1961-90 Normals used are from the Environment Canada, Saskatoon Diefenbaker International Airport station, 1993




10 meter tower wind speed and direction sensor
08 August 2022
Photo: V. Wittrock

10 minute Average Wind Speed and Direction Saskatoon 2022



1/2 hr Maximum Wind Speed and Direction Saskatoon 2022



**Wind Speed
Daily Average (km/h)**


2022	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	10.7	19.9	6.5	24.5	17.0	24.5	12.8	12.6	20.5	12.9	17.4	17.7
2	11.9	9.4	11.0	14.8	23.4	14.8	14.9	22.6	12.0	8.7	17.8	13.9
3	20.6	11.1	11.2	10.9	17.0	10.9	10.8	12.0	13.2	9.5	15.9	19.8
4	23.9	15.0	19.5	21.9	16.4	21.9	12.5	19.2	14.2	8.5	9.9	26.5
5	12.1	9.9	14.1	19.4	15.9	19.4	16.6	24.2	19.0	15.5	30.4	6.4
6	9.3	11.9	10.9	10.3	20.6	10.3	13.1	13.9	15.9	8.4	27.7	10.8
7	19.5	17.7	26.6	9.8	11.3	9.8	18.3	16.5	18.8	12.7	17.9	13.9
8	21.7	24.4	25.4	23.4	14.4	23.4	19.6	14.2	22.8	11.1	14.7	13.3
9	6.8	9.6	18.5	26.7	13.1	26.7	10.4	13.7	18.5	6.2	5.2	12.4
10	11.7	29.4	24.8	27.5	11.7	27.5	11.6	16.3	14.5	14.5	7.3	13.5
11	10.9	10.3	12.6	20.6	8.7	20.6	19.7	14.4	13.9	29.8	8.4	15.0
12	10.5	10.2	19.7	23.9	12.6	23.9	11.5	9.5	16.7	32.1	9.1	13.1
13	9.8	22.7	8.1	27.7	26.6	27.7	20.1	11.9	15.6	22.9	6.3	7.3
14	12.8	15.9	15.1	26.1	21.5	26.1	12.6	13.2	15.4	6.6	7.3	15.6
15	16.4	17.0	6.8	13.1	13.4	13.1	14.3	8.6	10.7	20.5	11.2	16.4
16	14.1	11.7	16.9	9.7	22.2	9.7	15.0	12.2	17.1	8.7	24.2	6.2
17	16.5	14.2	9.9	9.0	17.3	9.0	10.6	11.5	9.5	16.7	23.2	20.8
18	25.6	20.5	10.7	9.0	16.0	9.0	9.9	9.7	10.8	8.9	22.9	19.4
19	9.4	22.9	10.5	29.7	25.8	29.7	12.8	7.3	12.7	7.2	16.2	12.2
20	13.8	12.5	13.0	24.0	23.6	24.0	23.8	12.3	23.2	14.3	13.1	7.1
21	21.7	6.8	21.4	15.2	9.4	15.2	19.6	10.2	8.8	12.6	11.1	13.5
22	11.3	10.0	13.5	13.9	14.3	13.9	13.5	15.6	16.7	8.8	13.6	14.4
23	18.5	11.9	14.2	20.7	12.3	20.7	9.6	10.9	10.8	18.9	11.9	9.0
24	6.9	11.3	23.8	14.1	13.8	14.1	10.3	6.1	21.1	13.1	13.8	23.3
25	13.3	14.9	14.9	21.9	12.0	21.9	8.5	7.3	10.8	8.8	15.9	15.8
26	27.4	9.8	17.3	35.0	13.2	35.0	13.4	12.1	10.7	14.5	15.8	16.5
27	11.9	17.5	22.7	24.2	12.4	24.2	9.2	12.3	16.1	18.6	11.2	15.7
28	7.5	7.9	18.8	13.5	15.7	13.5	7.6	20.0	8.6	10.6	27.9	17.3
29	9.9		20.0	14.7	15.6	14.7	12.2	16.4	13.2	14.8	20.2	9.4
30	9.1		13.2	11.1	22.9	11.1	14.7	11.4	20.0	15.5	14.8	10.4
31	29.1		21.1		22.3		6.8	9.3		11.9		7.0

**Wind Speed
Daily gust (km/h)**


2022	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	25.0	41.5	19.1	50.6	33.2	55.2	46.6	28.2	65.7	36.1	36.5	37.5
2	29.0	24.3	26.9	35.9	50.1	50.4	32.7	55.3	26.6	20.7	37.9	33.7
3	39.3	28.6	29.5	35.9	37.3	35.9	28.3	30.9	36.9	27.8	31.5	38.5
4	44.5	44.5	42.6	48.3	46.7	32.5	33.5	45.6	32.7	33.2	24.6	57.1
5	28.1	23.8	27.9	39.1	34.8	46.4	37.3	63.0	60.3	39.4	74.0	25.5
6	24.1	25.5	25.3	30.4	69.6	40.2	32.7	34.6	40.4	22.2	70.1	30.9
7	44.8	51.8	69.3	34.4	31.4	37.5	43.8	42.5	50.0	30.9	50.4	32.3
8	48.2	55.3	66.2	54.6	42.0	27.0	41.6	45.9	51.0	43.5	45.1	37.9
9	18.3	25.3	38.5	56.0	34.9	34.8	47.7	37.5	52.4	18.0	18.3	27.0
10	26.5	63.1	68.3	52.6	40.1	49.8	44.5	34.1	46.0	51.2	22.1	45.1
11	31.2	29.6	31.6	45.7	29.6	28.4	58.9	39.0	36.5	60.8	18.2	44.5
12	21.9	29.8	49.5	39.8	39.5	25.6	39.7	27.4	38.2	72.0	24.0	32.9
13	22.0	57.3	25.7	45.3	62.6	50.7	55.9	57.0	36.8	47.8	18.2	20.3
14	45.1	40.9	34.8	44.6	48.4	33.2	34.5	36.1	34.8	25.4	17.9	47.9
15	37.3	41.8	18.5	32.7	50.5	23.6	38.8	24.7	34.3	47.5	27.8	36.2
16	31.5	33.2	42.6	32.9	41.5	40.1	39.2	35.1	32.8	29.1	57.5	14.5
17	44.9	40.1	23.9	35.3	45.0	64.3	77.3	40.1	21.0	31.2	52.1	41.4
18	57.8	50.5	29.6	32.9	39.3	56.6	30.4	33.3	32.9	24.4	45.2	37.2
19	21.8	54.1	28.2	65.1	63.9	27.4	55.4	29.2	43.2	18.2	32.5	23.4
20	37.1	40.8	33.2	51.7	55.8	44.2	55.8	27.0	52.5	40.3	33.2	17.8
21	57.4	15.7	49.1	38.2	34.3	38.5	53.8	38.6	24.3	33.9	28.6	28.5
22	27.7	24.3	30.1	29.1	38.5	37.8	44.4	30.3	43.6	23.9	26.5	34.4
23	36.4	25.5	30.6	47.1	48.2	41.1	26.5	32.4	28.8	44.9	31.3	30.3
24	22.0	25.3	69.7	39.5	45.7	45.4	59.6	20.4	63.8	35.5	27.4	47.1
25	42.3	41.3	32.7	44.1	47.6	54.6	27.1	21.2	37.8	24.6	29.9	59.8
26	62.6	22.1	33.5	67.8	40.0	38.2	45.2	33.7	30.6	38.7	32.3	42.8
27	39.6	32.4	42.0	54.0	36.0	43.2	36.1	55.6	38.0	39.9	36.1	43.0
28	21.7	19.1	38.5	41.8	39.7	40.9	29.3	51.2	30.1	34.1	52.5	37.9
29	25.5		43.7	44.5	53.3	46.5	35.0	46.7	35.4	48.0	37.8	21.0
30	25.3		35.3	32.9	54.0	54.2	46.4	44.0	46.6	33.7	38.2	25.9
31	74.9		47.8		55.0		20.3	30.9		39.9		17.9

WIND Daily Wind Speed and Maximum Gust Wind Speed


January
February
March




April
May
June



July
August
September



October
November
December



WIND

EXTREME DAILY WINDS (km/h) 2022			
Month	Day	WIND SPEED/ DIRECTION	BEAUFORT WIND SCALE DESIGNATION*
January	18	57.8 N	Near Gale
	21	57.4 NW	Near Gale
	26	62.6 NW	Gale
	31	74.9 N	Gale
February	7	51.8 WNW	Near Gale
	8	55.3 NW	Near Gale
	10	63.1 NW	Gale
	13	57.3 NW	Near Gale
	18	50.5 NNW	Near Gale
March	7	69.3 WNW	Gale
	8	66.2 NNW	Gale
	10	68.3 NNW	Gale
	24	69.7 NW	Gale
April	1	50.6 NW	Near Gale
	8	54.6 SSE	Near Gale
	9	56 WNW	Near Gale
	10	52.6 WNW	Near Gale
	19	65.1 ESE	Gale
	20	51.7 NE	Near Gale
	26	67.8 SE	Gale
May	27	54 SSE	Near Gale
	2	50.1 SSE	Near Gale
	6	69.6 W	Gale
	13	62.6 N	Gale
	15	50.5 NW	Near Gale
	19	63.9 E	Gale
	20	55.8 NNW	Near Gale
	29	53.3 NNE	Near Gale
	30	54 N	Near Gale
	31	55 N	Near Gale
June	1	55.2 NNW	Near Gale
	2	50.4 N	Near Gale
	13	50.7 SE	Near Gale
	17	64.3 ESE	Gale
	18	56.6 ESE	Near Gale
	25	54.6 NNW	Near Gale
July	30	54.2 WNW	Near Gale
	11	58.9 W	Near Gale
	13	55.9 SSW	Near Gale
	17	77.3 W	Strong Gale
	19	55.4 WNW	Near Gale
	20	55.8 NW	Near Gale
August	21	53.8 NW	Near Gale
	24	59.6 NNE	Near Gale
	2	55.3 WNW	Near Gale
	5	63 WNW	Gale
	13	57 NNE	Near Gale
September	27	55.6 SW	Near Gale
	28	51.2 NW	Near Gale
	1	65.7 NW	Gale
	5	60.3 NW	Near Gale
	7	50 NW	Near Gale
	8	51 WNW	Near Gale
October	9	52.4 NW	Near Gale
	20	52.5 NW	Near Gale
	24	63.8 WNW	Gale
	10	51.2 NW	Near Gale
November	11	60.8 NW	Near Gale
	12	72 NNW	Gale
	5	74 N	Gale
	6	70.1 NNW	Gale
	7	50.4 ENE	Near Gale
December	16	57.5 N	Near Gale
	17	52.1 N	Near Gale
	28	52.5 NNW	Near Gale
	4	57.1 NW	Near Gale
25	59.8 SE	Near Gale	

WINDCHILL CALCULATION CHART ¹														
T°C km/h Speed	T°C													
	5°	0°	-5°	-10°	-15°	-20°	-25°	-30°	-35°	-40°	-45°	-50°		
5	4	-2	-7	-13	-19	-24	-30	-36	-41	-47	-53	-58		
10	3	-3	-9	-15	-21	-27	-33	-39	-45	-51	-57	-63		
15	2	-4	-11	-17	-23	-29	-35	-41	-48	-54	-60	-66		
20	1	-5	-12	-18	-24	-30	-37	-43	-49	-56	-62	-67		
25	1	-6	-12	-19	-25	-32	-38	-44	-51	-57	-64	-70		
30	0	-6	-13	-20	-26	-33	-39	-46	-52	-59	-65	-72		
35	0	-7	-14	-20	-27	-33	-40	-47	-53	-60	-66	-73		
40	-1	-7	-14	-21	-27	-34	-41	-48	-54	-61	-68	-74		
45	-1	-8	-15	-21	-28	-35	-42	-48	-55	-62	-69	-75		
50	-1	-8	-15	-22	-29	-35	-42	-49	-56	-63	-69	-76		
55	-2	-8	-15	-22	-29	-36	-43	-50	-57	-63	-70	-77		
60	-2	-9	-16	-23	-30	-36	-43	-50	-57	-64	-71	-78		
65	-2	-9	-16	-23	-30	-37	-44	-51	-58	-65	-72	-79		
70	-2	-9	-16	-23	-30	-37	-44	-51	-58	-65	-72	-80		
75	-3	-10	-17	-24	-31	-38	-45	-52	-59	-66	-73	-80		
80	-3	-10	-17	-24	-31	-38	-45	-52	-60	-67	-74	-81		

Approximate Thresholds		
-10	Low	Risk of hypothermia if outside for long periods without adequate protection.
-28	Risky	Risk of frostnip/frostbite on extremities. Exposed skin can freeze in 10 - 30 min.
-40	High Risk	High risk of frostbite. Exposed skin can freeze in 5 - 10 minutes.
-48	Very High Risk	Serious risk of frostbite. Exposed skin can freeze in 2 - 5 minutes.
-55	Extreme Risk	Outdoor conditions are hazardous. Exposed skin can freeze in 2 minutes or less.

1: Environment Canada, 2004b

EXTREME DAILY WIND CHILL 2022												
	JAN	FEB	MAR	APR	MAY	JUN	JULY	AUG	SEP	OCT	NOV	DEC
1	-47	-39	-17	-9								-35
2	-36	-43	-29	-10							-10	-40
3	-34	-43	-31	-7							-15	-37
4	-40	-42	-21								-16	-24
5	-47	-28	-22								-16	-32
6	-49	-24	-23	-7						-8	-23	-44
7	-50	-11	-22	-3						-6	-26	-46
8	-41	-7	-25								-28	-23
9	-40	-12	-35								-33	-19
10	-31	-27	-36	-12							-32	-23
11	-22	-30	-36	-18							-28	-19
12	-14	-24	-25	-19							-29	-21
13	-18	-21	-18	-20							-16	-21
14	-18	-25	-23	-18						-5	-14	-22
15	-14	-27	-13	-16						-7	-15	-26
16	-10	-35	-11	-10						-5	-22	-27
17	-25	-37	-10	-11						-7	-26	-35
18	-40	-34	-5	-11							-25	-38
19	-41	-30	-8	-11							-18	-41
20	-41	-36	-7	-12							-18	-40
21	-25	-36		-11							-16	-44
22	-26	-38	-8	-6						-6	-13	-42
23	-23	-41	-4							-7	-11	-46
24	-30	-37	-7	-5						-8	-13	-38
25	-39	-35	-17	-9						-5		-31
26	-15	-17	-20	-11						-6	-10	-24
27	-22	-19	-19								-13	-24
28	-23	-19	-9								-19	-29
29	-21		-14							-6	-22	-22
30	-17		-11								-30	-23
31	-34		-8							-4		-27


*Near Gale >=50 but < 62 *Gale >=62 but <75
 *Strong Gale >=75 but <89 *Storm >=89 but <103
 *Violent Storm >=103 but <117

SOIL TEMPERATURES AND DEPTH OF SNOW-ON-THE-GROUND @ MONTH END


MONTH	Mean Air Temp @ 0900h (°C)	SOIL TEMPERATURES (°C) @ 0900h														Mean Air Temp @ 1600h (°C)	SOIL TEMPERATURES (°C) @ 1600h					
		5cm		10cm		20cm		50cm		100cm		150cm		300cm			5cm		10cm		20cm	
		2022	NORM	2022	NORM	2022	NORM	2022	NORM	2022	NORM	2022	NORM	2022	NORM		2022	NORM	2022	NORM	2022	NORM
January	-15.6	-6.2	-8.4	-6.2	-8.0	-5.1	-7.1	-2.5	-3.5	1.1	-0.1	2.9	1.7	5.8	4.6	-12.8	-6.2	-8.4	-5.6	-7.8	-5.1	-6.2
February	-16.7	-4.3	-7.0	-4.3	-6.7	-3.2	-6.1	-1.3	-3.5	1.3	-0.8	2.5	0.8	4.6	3.4	-11.7	-4.4	-7.1	-3.9	-6.6	-3.4	-5.2
March	-7.0	-2.3	-3.1	-2.3	-2.8	-2.0	-2.4	-0.9	-1.5	0.9	-0.4	2.0	0.6	3.8	2.7	-2.1	-2.3	-2.9	-2.0	-2.6	-1.9	-1.8
April	0.7	1.9	3.1	1.9	3.6	2.4	4.0	2.4	3.0	2.7	1.6	2.4	1.5	3.5	2.4	6.2	4.9	6.0	4.0	5.5	2.9	4.6
May	11.1	10.0	10.3	10.0	10.8	10.7	11.3	9.1	9.3	7.0	6.4	5.4	4.8	4.4	3.4	16.7	15.1	14.2	13.4	13.6	11.1	12.0
June	16.6	15.2	15.3	15.2	15.7	15.8	16.3	13.7	14.0	10.9	10.4	8.8	8.3	6.4	5.4	21.3	20.6	20.0	18.5	19.0	16.0	17.1
July	19.6	18.7	17.5	18.7	18.0	19.4	18.9	17.2	16.7	14.4	13.1	11.6	10.9	8.5	7.5	25.6	24.5	22.1	22.3	21.3	19.6	19.5
August	19.2	18.1	16.5	18.1	16.9	19.3	18.1	17.8	16.8	15.9	14.1	13.4	12.3	10.3	9.1	27.0	24	20.6	21.9	20.0	19.5	18.6
September	13.0	13.6	10.5	13.6	11.0	15.6	12.5	15.6	13.2	14.9	12.4	13.6	11.7	11.3	9.9	22.5	18.9	13.9	17.2	13.4	15.6	13.1
October	4.5	6.1	4.3	6.1	4.7	8.7	6.2	10.6	8.3	11.9	9.2	11.8	9.6	11.2	9.4	13.6	9.7	6.1	8.9	6.4	8.6	6.9
November	-8.2	-1.2	-2.2	-1.2	-1.7	0.6	-0.5	3.8	3.0	7.4	5.6	8.6	6.8	9.8	8.1	-5.5	-1.1	-1.4	-0.4	-1.2	0.4	0.3
December	-18.6	-5.0	-7.1	-5.0	-6.6	-3.3	-5.6	0.2	-1.7	4.2	2.0	5.8	3.8	7.9	6.4	-16.4	-5.0	-6.6	-4.3	-6.3	-3.3	-4.6

Normal temperatures (1971-2000) for our site are provided by Environment Canada 2004a


Monthly Soil Temperatures @ 0900h



Monthly Soil Temperatures @ 0900h



Monthly Soil Temperatures @ 1600h



GLOSSARY OF TERMS

(Unless otherwise stated, source for definitions of terms is Environment Canada, 1978)

BEAUFORT WIND SCALE was developed by Admiral Sir Francis Beaufort in 1805 and adopted by the British Navy in 1838. It consisted of 13 degrees of wind strength, from calm to hurricane, based upon the effects of various wind strengths upon the amount of canvas carried by the fully rigged frigates of the period. Over the years it has been modified as needed and in 1946 the scale values (Force Numbers) were defined by ranges of wind speed as measured at a height of 10 meters above the surface. In effect, this transformed the 'Beaufort Wind Force Scale' into the 'Beaufort Wind Speed Scale'. This scale is the current standard scale for visual observations of the wind (Heidorn, 1998).

BRIGHT SUNSHINE is the unobstructed direct radiation from the sun, as opposed to the shading of a location by clouds or by other atmospheric obstructions.

Number of Days is defined as the total number of days when at least 0.1 of an hour of bright sunshine was recorded.

Percentage Possible refers to the ratio of measured bright sunshine hours to the total possible daylight hours in a given period, expressed as a percentage.

Possible daylight hours (hours of illumination) are taken from the sunrise/set tables provided by the National Research Council of Canada, Herzberg Institute of Astrophysics, Victoria, BC.

Total is the sum of the daily bright sunshine values in hours and tenths of hours as measured by an automated sunshine recorder using voltaic cells.

DEGREE-DAY is an index for various temperature related calculations.

Cooling (CDD) is the cooling requirement to achieve a stipulated comfort value in an indoor environment. For most purposes, a temperature of greater than 18°C is considered uncomfortable and supplementary cooling is required. On a specific day, the amount by which 18°C is less than the daily average temperature defines the number of cooling degree-days for that day. A temperature base of 24° C is sometimes used as an index of extreme cooling degree-days to indicate potential heat stress. (Environment Canada 2012)

Mathematically: $CDD = (T - 18^{\circ}C)$, for that day, where T = daily mean temperature in °C if T is equal to or less than 18°C, CDD = 0.

Monthly and annual values of CDD are obtained by summing daily values.

Growing (GDD) is the growing requirement in order for plant growth to proceed. The air temperature must exceed a critical value appropriate to the plant species in question. For many members of the grass family, including most commercial cereals grown on the prairies, a base temperature of 5.0°C has been established. On a specified day, the difference between the daily average temperature and the 5.0°C base temperature defines the number of growing degree-days.

Mathematically: $GDD = (T - 5.0^{\circ}C)$, for that day, where T = daily mean temperature in °C if T is equal to or less than 5.0°C, GDD = 0.

Daily GDD values are summed to provide totals for the appropriate month, growing season or year.

Heating (HDD) is the heating requirement to achieve a stipulated comfort value in an indoor environment. For most purposes, a temperature of less than 18°C is considered uncomfortable and supplementary heating is required. On a specific day, the amount by which 18°C exceeds the daily average temperature defines the number of heating degree-days for that day.

Mathematically:

$HDD = (18^{\circ}C - T)$, for that day, where T = daily mean temperature in °C if T is equal to or greater than 18°C, HDD = 0.

Monthly and annual values of HDD are obtained by summing daily values.

EXTREME is the highest or lowest value of a particular element recorded during the period in question.

EXTREME ALL YEARS Temporal comparisons at a point are also of value in some types of climatic studies. Therefore, it is desirable to produce the maximum length of reliable climatic record to carry out studies over a period of time. Data are drawn mainly from the following data sets:

SRC: 1963 to present

Saskatoon Airport: 1942 to present

University of Saskatchewan: 1916 to 1963

Eby station: 1901-1941

NWMP: circa 1892 to circa 1900 (sporadic)

Station locations, exposures and measurement procedures were subject to change during this time period. Data are not adjusted and users are cautioned accordingly.

FROST is recorded on each occasion when the daily minimum temperature is equal to or less than 0°C.

NORMAL VALUE (1981-2010) In climatology it is often useful to make spatial comparisons of particular element values over a common time period. At an interior continental site such as Saskatoon, a period of 30 years is required to produce statistically stable estimates of the more variable elements. To facilitate spatial comparisons, the World Meteorological Organization recommends the standard normal (average) period of thirty years. The current normal period for data analysis at CRS is from January 1st, 1981 to December 31st, 2010. Data derived from CRS conform to this standard, except where noted. The normals for CRS have been calculated using the data collected during this standard period. Where gaps existed, data from the nearest climate station were used and referenced as to being used. (Environment Canada, 1993, 2002, 2004a)

POTENTIAL EVAPOTRANSPIRATION (Thornthwaite Method) is the amount of water which will be lost from a surface completely covered with vegetation if there is sufficient water in the soil at all times for the use of the vegetation. It is computed by means of an empirical formula involving mean monthly temperature and average length of day.

Mathematically: $PET = mT^a$ where PET = Potential of Evapotranspiration; m = % of day length for the month as compared to the year; T = Temperature °C when T is less than or equal to 0; otherwise T = 0; and a = yearly heat index. (Thornthwaite and Mather, 1955)

PRECIPITATION

Day is recorded on occasions when the amount of precipitation in a 24-hour period equals or exceeds 0.2 mm water. An asterisk (*) appearing in the average column denotes the occurrence of measurable precipitation on one or more occasions, and that the calculated 30-year average amounts to less than a trace. The so-called climatological day, beginning at 9 a.m. standard time on the date of reference and ending at 9 a.m. the next morning, was employed in record keeping up to January 1994. On February 1, 1994, after consultation with Environment Canada, record keeping was changed to the 24-hour period of 0000 hours - 2400 hours to conform to their reporting of climatological statistics.

Total is the sum of the daily recorded precipitation. The snowfall component of precipitation is recorded as an equivalent amount of liquid water. The notation "T" refers to a trace of precipitation (less than 0.2 mm water equivalent). As of August 7, 1993, total precipitation was measured using a weighing gauge for the winter season and the tipping bucket during frost-free period.

SEASONS Meteorologists prefer to divide the year into four 3-month periods based primarily on temperature. Thus winter is defined as December (previous year), January, and February (DJF); spring as March, April and May (MAM); summer as June, July and August (JJA); and fall as September, October and November (SON). (Lutgens and Tarbuck, 1992)

SOIL TEMPERATURE under a short grass surface with normal snow accumulation, is measured according to procedures outlined in the Environment Canada publication "*Soil Temperature*" January 1, 1976. Depths below surface at which soil temperature measurements are made are: 5 cm, 10 cm, 20 cm, 50 cm, 100 cm, 150 cm and 300 cm. Since soil temperature is affected by profile structure and water content, extrapolation of the measured data is difficult.

SOLAR RADIATION

Diffuse - Total is radiation reaching the earth's surface after having been scattered from the direct solar beam. The instrument used is an Eppley pyranometer with a shade ring (See SOLAR RADIATION-Global- Total).

Global - Total is the sum of the direct solar and diffuse radiation during the period in question. Measurements are carried out on a horizontal surface near ground level and integrated over the whole celestial dome, summing the diffuse and direct components of the solar beam. The temperature-compensated Eppley pyranometer is used. The standard metric unit of measurement is the megajoule per square metre (MJ/m²). (To facilitate comparison with past years' data: 1.0 MJ/m² = 23.895 langley). Comparison is provided with a provisional average based on 16 years of data (1975-1990).

SPELLS Temperature spells are defined as days when the daily maximum temperature is higher than or equal to 30°C (hot spell) or the daily minimum temperature is lower than or equal to -30°C (cold spell).

SUNRISE/SUNSET times have been included in this report. They have been acquired from the National Research Council, Canada, Herzberg Institute of Astrophysics.

TEMPERATURE

Average Annual is the average of the daily average temperatures in degrees Celsius (°C) for one year.

Average Daily is defined as the arithmetic mean of the daily maximum temperature in degrees Celsius (°C) and the daily minimum temperature in degrees Celsius (°C) for the day in question.

Average Maximum is the average of the daily maximum temperatures in degrees Celsius (°C) average over the appropriate time periods.

Average Minimum is the average of the daily minimum temperatures in degrees Celsius (°C) averaged over the appropriate time periods. Refer to TEMPERATURE-Average Maximum concerning measurement procedures.

Average Monthly is the average of the daily average temperatures in degrees Celsius (°C) for the month under consideration.

WIND CHILL describes a sensation, the way we feel as a result of the combined cooling effect of temperature and wind. This feeling can't be measured using an instrument, so a mathematical formula was developed in 1939 that related air temperature and wind speed to the cooling sensation. This formula was revised in 2001 by a team of scientists and medical experts from Canada and the U.S. with the Canadian Department of National Defence contributing human volunteers. The new index is based on the loss of heat from the face.

Mathematically: $WC = 13.12 + (0.6215 \times T) - (11.37 \times V^{0.16}) + (0.3965 \times T \times V^{0.16})$; where WC = wind chill; T= air temperature °C; V= standard wind speed km/h. (Environment Canada 2004b).

WAVES Temperature waves are defined as a sequence of three or more days when the daily maximum/minimum temperatures are higher/lower than, or equal to, a set temperature. For a heat wave the temperature is 32°C. (Environment Canada 2005).

WIND SPEED

Average is the average of the hourly wind speeds for the period in question measured in kilometres per hour (km/h). Average hourly wind speeds are obtained from a RM Young Wind Monitor anemometer at a height of 10 m.

Peak Gust refers to the highest instantaneous value recorded by the anemometer system for the period of reference, irrespective of direction and/or duration. Comparison is with published data for Environment Canada, Saskatoon Airport station.

see also **Beaufort Wind Scale**

REFERENCES AND BIBLIOGRAPHY

- Christiansen, E.A. (ed) 1970. Physical Environment of Saskatoon, Canada. Saskatchewan Research Council Saskatoon, SK in cooperation with National Research Council of Canada, Ottawa, ON.
- Environment Canada. 1975. 1974 Annual Meteorological Summary. Atmospheric Environment Service, Environment Canada. Saskatoon, SK.
- Environment Canada, Atmospheric Environment Service (AES), 1976. Soil Temperature. AES, Downsview, ON
- Environment Canada, Atmospheric Environment Service (AES), 1978. Manual of Climatological Observations, 2nd Ed. AES, Downsview, ON
- Environment Canada. 1992. Atmospheric Environment Service Guidelines for Co-operative Climatological Autostation. Atmospheric Environment Service, Environment Canada, Downsview ON.
- Environment Canada, Atmospheric Environment Service (AES). 1993. Canadian Climate Normals 1961-1990. Canadian Climate Centre, Downsview ON.
- Environment Canada, Meteorological Service of Canada, 2002. Canadian Daily Climate Data on CD-ROM - Western Canada. Climate and Water Products Division, Downsview, ON.
- Environment Canada, Meteorological Service of Canada, 2004a. Climate Data Online/Climate Normals and Averages. http://www.climate.weatheroffice.ec.gc.ca/climate_normals/index_e.html (accessed 2004, 2007).
- Environment Canada, Meteorological Service of Canada, 2004b. Wind Chill Calculation Chart. http://www.msc.ec.gc.ca/education/windchill/windchill_chart_e.cfm (accessed April, 2009).
- Environment Canada, Meteorological Service of Canada, 2005. Fact Sheet - Summer Severe Weather Warnings. http://www.on.ec.gc.ca/severe-weather/summerwx_factsheet-e.html (accessed Feb 2008).
- Environment Canada, Meteorological Service of Canada, 2012. Calculation of the 1971 to 2000 Climate Normals for Canada. http://climate.weather.gc.ca/climate_normals/normals_documentation_e.html (accessed Feb 2014).
- Goble, R. J., 2002. Volcanoes. In: Introduction to Geology/Physical Geology. <http://www.class.unl.edu/geol100/Review2.html> (accessed June, 2002)
- Heidorn, K., 1998. The Weather Legacy of Admiral Sir Francis Beaufort In: Weather People and History. <http://irishculture.about.com/gi/dynamic/offsite.htm?site=http://www.islandnet.com/%257Esee/weather/history/beaufort.htm> (accessed July 30, 2001).
- Ladd, M.G., 2008. Ladds of New England: Ancestral line of Merle G. Ladd. <http://www.laddfamily.com> (accessed April 29, 2009)
- Lutgens, F. K. and E.J. Tarbuck, 1992. The Atmosphere: An Introduction to Meteorology, 5th Ed.. Prentice Hall, New Jersey.
- National Research Council of Canada, Herzberg Institute of Astrophysics, n.d. Sunrise - Sunset Tables for Saskatoon http://www.hia-ihh.nrc-cnrc.ca/sunrise_e.html (accessed January 2013, 2014).
- Olm, O. 2001. Personal Communication 17 September 2001 with C. Beaulieu. Saskatchewan Research Council, Saskatoon, SK.
- Thornthwaite, C.W. 1948. An Approach toward a Rational Classification of Climate. *Geographical Review*. 38(1):55-94. <http://links.jstor.org/sici?sici=0016-7428%28194801%2938%3A1%3C55%3AAATARC%3E2.0.CO%3B2-O>
- Thornthwaite, C.W. and J.R. Mather. 1955. The Water Balance. Publication in Climatology. 8(1). Drexel Institute of Technology Laboratory of Climatology, Centerton, New Jersey.
- U.S. Geological Survey. Cascades Volcano Observatory, n.d. Deadliest Volcanic Eruptions Since 1500 A.D. <http://vulcan.wr.usgs.gov> (accessed March 27, 2002)
- World Meteorological Organization (WMO). 1988. Technical Regulations: General Meteorological Standards and Recommended Practices, 1988 ed., Supplement No. 2 (IV. 1996), WMO – No. 49. Geneva, Switzerland.